

This tender floated in NIC - CPP Portal with Tender ID: $2024_HOCL_797254_1$ dt. 23/02/2024 with due date 11/03/2024 at 02:00 PM and in GeM Portal with GeM Bid No. GEM/2024/B/4684039 dt. 23/02/2024 with due date 11/03/2024 at 06:00 PM.

हिंदुस्तान ऑर्गीनक केमिकल्स लिमिटेड HINDUSTAN ORGANIC CHEMICALS LIMITED (भारत सरकार का एक उद्यम) (A Government of India Enterprise) अंबालामुगल, एर्नाकुलम जिला, पिन - 682 302 AMBALAMUGAL, Ernakulam District, PIN – 682 302. फोन: (0484) 2720911, फैक्स नंबर (0484) 2720893 Phone: (0484) 2720911, FAX No. (0484) 2720893

<u>ई-निविदा सूचना</u> E- TENDER NOTICE

HOCL निम्नलिखित कार्य के लिए दो बोली प्रणाली के तहत ई-बोली आमंत्रित करता है: HOCL Invites e-Bids under the **Two Bid system** for the following work:

SI.	Description of Item and Tender No.
No.	
1	कार्य का नाम : वातन टैंक आंदोलनकारियों सहायता प्रदान करना क्वालिए और क्लिप्रफोक्यूल ट र, फाइनल क्लेरिफायर की मरम्मत इन ईटीपी । HOCL निविदा संदर्भ : MEC30408
	Name of Work : REPAIR OF CLARIFOCCULATOR, FINAL CLARIFIER AND PROVIDING SUPPORTS FOR AERATION TANK AGITATORS IN ETP HOCL Tender Ref : MEC30408

निविदा दस्तावेज www.hoclkochi.com या www.eprocure.gov.in से डाउनलोड किए जा सक्रो हैं। Tender documents may be downloaded from <u>www.hoclkochi.com</u> or <u>www.eprocure.gov.in</u>.

इच्छुक पार्टियां निविदा में भाग ल**प्राक्र**णिलए कृपया एनआईसी ई प्रोक्योरमेंट पोर्टल (यूआरएल: https://eprocure.gov.in/eprocure/app.) पर पंजीकृत हो सकती हैं। निर्दिष्ट ऑनलाइन प्रक्रिया क्यअलावा अन्य प्रस्तुत निविदाएं स्वीकार नहीं की जाएंगी। कृपया प्रस्ताव जमा करनासा पहलाकिसी भी परिशिष्ट/शुद्धिपत्र/विस्तार क्यालए नियमित रूप साम्रपरोक्त साइटों पर जाएँ।

Interested parties may please get registered with NIC e procurement portal (URL: https://eprocure.gov.in/eprocure/app.) to participate in the tender. Tenders submitted other than through online procedure specified will not be accepted. Please visit the above sites regularly for any addendum/ corrigendum/ extension before submitting the offers.

कृपया विशिष्टताओं और नियमों और शर्तों की पुष्टि करताङ्कुए <u>दो बोली प्रणाली</u> क्¤तहत □ पनी ई-बोली जमा करें।

Please submit your E-bids under the **Two Bid system** confirming to the specifications and the terms and conditions.

हिंदुस्तान ऑर्गेनिक केमिकल्स लिमिटेड के लिए और उनकी ओर से For and on behalf of Hindustan Organic Chemicals Limited (GSTN:32AAACH2663P1ZG),(CIN:199999MN1960GOI011895)

मंगेश वी. शहासने MANGESH V. SHAHASANE महाप्रबंधक (यांत्रिक/यूटिलिटीस) GENERAL MANAGER (MECHANICAL/UTILITIES)



हिंदुस्तान ऑर्गेनिक केमिकल्स लिमिटेड HINDUSTAN ORGANIC CHEMICALS LIMITED (भारत सरकार का एक उद्यम) (A Government of India Enterprise) अंबालामुगल, एर्नाकुलम जिला, पिन - 682 302 AMBALAMUGAL, Ernakulam District, PIN – 682 302. फोन: (0484) 2720911, फैक्स नंबर (0484) 2720893 Phone: (0484) 2720911, FAX No. (0484) 2720893

Dear Sir,

हिंदुस्तान ऑर्गेनिक केमिकल्स लिमिटेड भारत सरकार का उपक्रम है जो कोच्चि, केरल, भारत में अपने संयंत्र में फिनोल, एसीटोन और हाइड्रोजन पेरोक्साइड का निर्माण करता है। एचओसीएल ने वातन टैंक आंदोलनकारियों सहायता प्रदान करना के लिए और क्लेरिफोक्यूलेटर, फाइनल क्लेरिफायर की मरम्मत इन ईटीपी के लिए ई-निविदाएं आमंत्रित की हैं। एचओसीएल ने मैसर्स एनआईसी के साथ एक समझौता किया है। अपने पोर्टल https://eprocure.gov.in/eprocure/app के माध्यम से ई-खरीद के लिए। आप कृपया इस निविदा में भाग लेने के लिए एनआईसी के साथ एक विक्रेता के रूप में पंजीकृत हो सकते हैं।

Hindustan Organic Chemicals Limited is a Government of India Undertaking manufacturing Phenol, Acetone & Hydrogen Peroxide at its plant at Kochi, Kerala, India. HOCL invites e-tenders for **REPAIR OF CLARIFOCCULATOR**, **FINAL CLARIFIER AND PROVIDING SUPPORTS FOR AERATION TANK AGITATORS IN ETP.** HOCL has entered into an agreement with M/s. NIC for e-procurement through their portal https://eprocure.gov.in/eprocure/app. You may please get registered as a vendor with NIC for participating in this tender.

निविदा दस्तावेज एचओसीएल की वेबसाइट www.hoclkochi.com, https:// बाजार और https://eprocure.gov.in/eprocure/app पर अपलोड किए जाते हैं।

Tender documents are uploaded in HOCL website www.hoclkochi.com, https://eprocure.gov.in/eprocure/app

संलग्न दस्तावेजों का सूचकांक इसके साथ संलग्न है। आपसे अनुरोध है कि कृपया अपनी निविदा तैयार करने/प्रस्तुत करने से पहले सभी दस्तावेजों को विस्तार से पढ लें।

Index of documents enclosed is attached herewith. You are requested to kindly go through all the documents in detail before preparing/submitting your tender.

आप अपना प्रस्ताव दो-बोली प्रणाली पर निर्दिष्ट नियत तारीख और समय से पहले ऑनलाइन जमा कर सकते हैं।

You may submit your offer on **Two-bid system** online before the due date and time specified.

धन्यवाद, Thanking you,

आपका आभारी, Yours Faithfully,

हिंदुस्तान ऑर्गेनिक केमिकल्स लिमिटेड के लिए और उनकी ओर से For and on behalf of Hindustan Organic Chemicals Limited (GSTN:32AAACH2663P1ZG),(CIN:199999MN1960GOI011895)

मंगेश वी. शहासने MANGESH V. SHAHASANE महाप्रबंधक (यांत्रिक/यूटिलिटीस) GENERAL MANAGER (MECHANICAL/UTILITIES)



INDEX

LIMITED TENDER NOTICE FOR REPAIR OF CLARIFOCCULATOR, FINAL CLARIFIER AND PROVIDING SUPPORTS FOR AERATION TANK AGITATORS IN ETP

1	General Terms and conditions of the tender	ANNEXURE - I
2	निविदा के सामान्य नियम एवं शर्तें Scope of work	ANNEXURE - II
3	काम की गुंजाइश Special Conditions of Contract अनुबंध की विशेष शर्तें	ANNEXURE - III
4	Compliance/No Deviation Statement अनुपालन/कोई विचलन नहीं विवरण	ANNEXURE - IV
5	Compliance of General Conditions of Contract (GCC) अनुबंध की सामान्य शर्तों का अनुपालन (जीसीसी)	ANNEXURE - V
6	Check List जांच सूची	ANNEXURE - VI
7	ESI, PF, Labour Law etc. – Requirements ईएसआई, पीएफ, श्रम कानून आदि - आवश्यकताएँ	
8	Labour Laws लेबर रूल्स	ANNEXURE A, B, C & D
9	Safety, Health & Environment (SHE) Conditions सुरक्षा, स्वास्थ्य ए⊡ं पर्या⊡रण (एसएचई) स्थितियाँ	ANNEXURE A, B, C & D
10	Proforma of Declaration of Black Listing/ Holiday Listing काली सूची/अवकाश सूची की घोषणा का प्रोफार्मा	
11	Bidder Information बोली लगाने वाले की जानकारी	ANNEXURE - E
12	Self Declaration of Local Content स्थानीय सामग्री की स्व-घोषणा	ANNEXURE - F
13	Bid Security Declaration बोली सुरक्ष⊡घोषण□	ANNEXURE - H
14	Declaration on Code of Integrity for Public Procurement (COIPP) सार्वजनिक खरीद के लिए सत्यनिष्ठा संहिता पर घोषणा।	ANNEXURE - L
15	Declaration of Compliance of Order (Public Procurement No.1, 2 & 3) dt. 23 Jul 2020 & 24 Jul 2020 on Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017	ANNEXURE - R
	आदेश के अनुपालन की घोषणा (सार्वजनिक खरीद संख्या 1, 2 और 3) दिनांक। सामान्य वित्तीय नियम (जीएफआर), 2017 के नियम 144 (xi) के तहत प्रतिबंधों पर 23 जुलाई 2020 और 24 जुलाई 2020	
16	Instructions to the Contractors for use of Vehicles वाहनों के उपयोग के लिए ठेकेदारों को निर्देश	ANNEXURE - S
17	Scaffolding Checklist, Scaffolding Manual, Scaffolding parts and Erection Procedure	ANNEXURE – AC
18	Drawings	6 SHEETS



इस दस्तावेज़ को सभी पृष्ठों पर बोलीदाता द्वारा हस्ताक्षरित और मुद्रांकित किया जाना है और ई-निविदा के साथ जमा किया जाना है

हिंदुस्तान ऑर्गेनिक केमिकल्स लिमिटेड (भारत सरकार का एक उद्यम) □ बालामुगल पीओ, एर्नाकुलम जिला, केरल - 682 302

बोलीदाताओं को वैध डिजिटल हस्ताक्षर प्रमाणपत्रों का उपयोग करते हुए केंद्रीय सार्वजिनक खरीद पोर्टल (भारत सरकार) पर इलेक्ट्रॉनिक रूप से □पनी बोलियों की सॉफ्ट कॉपी जमा करनी होगी। नीचे दिए गए निर्देश बोलीदाताओं को सीपीपी पोर्टल पर पंजीकरण करने में सहायता करने, आवश्यकताओं के □ नुसार □पनी बोलियां तैयार करने और सीपीपी पोर्टल पर □पनी बोलियां ऑनलाइन जमा करने के लिए हैं।

सीपीपी पोर्टल पर ऑनलाइन बोलियां जमा करने के लिए उपयोगी □धिक जानकारी यहां प्राप्त की जा सकती है: https://eprocure.gov.in/eprocure/app1

पंजीकरण

- 1. बोलीदाताओं को सीपीपी पोर्टल पर "ऑनलाइन बोलीदाता नामांकन" लिंक पर क्लिक करके केंद्रीय सार्वजनिक खरीद पोर्टल (यूआरएल: https://eprocure.gov.in/eprocure/app) के ई-प्रोक्योरमेंट मॉड्यूल पर नामांकन करना आवश्यक है। जो निःशुल्क है।
- नामांकन प्रक्रिया के भाग के रूप में, बोलीदाताओं को एक विशिष्ट उपयोगकर्ता नाम चुनना होगा और □पने खातों के लिए एक पासवर्ड निर्दिष्ट करना होगा।
- बोलीदाताओं को सलाह दी जाती है कि वे पंजीकरण प्रक्रिया के हिस्से के रूप में □ पना वैध ईमेल पता और मोबाइल नंबर पंजीकृत करें। इनका उपयोग सीपीपी पोर्टल से किसी भी संचार के लिए किया जाएगा।
- 4. नामांकन के बाद, बोलीदाताओं को पने प्रोफाइल के साथ सीसीए इंडिया (जैसे सिफी / एनकोड / ईमुद्रा आदि) द्वारा मान्यता प्राप्त किसी भी प्रमाणन प्राधिकरण द्वारा जारी पने वैध डिजिटल हस्ताक्षर प्रमाण पत्र (हस्ताक्षर कुंजी उपयोग के साथ तृतीय श्रेणी प्रमाण पत्र) पंजीकृत करने की आवश्यकता होगी।
- एक बोलीदाता द्वारा केवल एक वैध डीएससी पंजीकृत किया जाना चाहिए। कृपया ध्यान दें कि बोलीदाता यह सुनिश्चित करने के लिए जिम्मेदार हैं कि वे □ पने डीएससी को दूसरों को उधार नहीं देते हैं जिससे दुरुपयोग हो सकता है।
- 6. इसके बाद बोलीदाता □पना यूजर आईडी/पासवर्ड और डीएससी/ई-टोकन का पासवर्ड दर्ज करके सुरक्षित लॉग-इन के माध्यम से साइट पर लॉग इन करता है।

निविदा दस्तावेजों की खोज

- 1. सीपीपी पोर्टल में विभिन्न खोज विकल्प बनाए गए हैं, तािक बोली लगाने वालों को सिक्रय निविदाओं को कई मापदंडों द्वारा खोजने में सुविधा हो। इन मापदंडों में निविदा आईडी, संगठन का नाम, स्थान, तिथि, मूल्य आदि शािमल हो सकते हैं। निविदाओं के लिए उन्नत खोज का एक विकल्प भी है, जिसमें बोली लगाने वाले कई खोज मापदंडों को जोड़ सकते हैं जैसे संगठन का नाम, □ नुबंध का रूप, स्थान, दिनांक, □न्य कीवर्ड आदि सीपीपी पोर्टल पर प्रकाशित निविदा की खोज के लिए।
- 2. एक बार जब बोलीदाताओं ने उन निविदाओं का चयन कर लिया जिनमें वे रुचि रखते हैं, तो वे आवश्यक दस्तावेज/निविदा कार्यक्रम डाउनलोड कर सकते हैं। इन निविदाओं को संबंधित 'माई टेंडर्स' फोल्डर में स्थानांतरित किया जा सकता है। यह सीपीपी पोर्टल को निविदा दस्तावेज में कोई शुद्धिपत्र जारी होने की स्थिति में एसएमएस/ई-मेल के माध्यम से बोलीदाताओं को सूचित करने में सक्षम बनाएगा।
- 3. यदि बोलीदाता हेल्पडेस्क से कोई स्पष्टीकरण/सहायता प्राप्त करना चाहता है तो उसे प्रत्येक निविदा को दी गई विशिष्ट निविदा आईडी को नोट करना चाहिए।



बोली की तैयारी

- 1. बोलीदाता को अपनी बोली जमा करना सामहला निविदा दस्तावा पर प्रकाशित किसी भी शुद्धिपत्र को ध्यान में रखना चाहिए।
- वोली का हिस्स का रूप में प्रस्तुत किए जान वाल आवश्यक दस्तावां को समझन का लिए कृपया निवदा विज्ञापन और निविदा दस्तावां को ध्यान साद्धाः कृपया उन कवरों की संख्या पर ध्यान दें जिनमें बोली दस्तावां जमा किए जान कें, दस्तावां की संख्या जिसमें प्रस्तुत किए जान वाल प्रत्यां दस्तावां का नाम और सामग्री शामिल हैं। इनमें स किसी भी विचलन का कारण बोली को अस्वीकार किया जा सकता है।
- 3. बोलीदाता, निविदा दस्ताव**ा**/अनुसूची में दर्शाए गए अनुसार प्रस्तुत किए जानावालाबोली दस्तावाबों को अग्रिम रूप सावैयार कर लें और आम तौर पर, व□पीडीएफ/एक्सएलएस/आरएआर/डीडब्ल्यूएफ/जावीजी प्रारूपों में हो सकताहैं। बोली दस्तावाबों को 100 डीपीआई का॒साथ ब्लैक एंड व्हाइट विकल्प का॒साथ स्कैन किया जा सकता है जो स्कैन किए गए दस्तावाब कां॒आकार को कम करन□ में मदद करता है।
- 4. मानक दस्तावां काएक ही सा को अपलोड करनामें आवश्यक समय और प्रयास साझचनाक्कालिए, जिन्हें प्रत्यक बोली काएक भाग कारूप में प्रस्तुत करनाकी आवश्यकता होती है, ऐसामानक दस्तावां (जैसामैन कार्ड की प्रति, वार्षिक रिपोर्ट, लाखा परीक्षक प्रमाण पत्र आदि) को अपलोड करनाका प्रावधान।) बोलीदाताओं को प्रदान किया गया है। बोलीदाता ऐसादस्तावाां को अपलोड करनाका लिए उनकालिए उपलब्ध "माई स्पष्टा" या "अन्य महत्वपूर्ण दस्तावाा" क्षा का उपयोग कर सकताहैं। बोली जमा करताप्रमय इन दस्तावाां को सीध माई स्पष्टा" क्षा का किया जा सकता है, और बार-बार अपलोड करनाकी आवश्यकता नहीं है। इससाबोली जमा करनाकी प्रक्रिया कालिए आवश्यक समय में कमी आएगी।

नोट: My Documents स्थान मछल अपलोड करनाकी प्रक्रिया को आसान बनाना विद्यालिए बोलीदाताओं को दिया गया एक भंडार है। यदि बोलीदाता नामा द्वारा स्थान में अपनाद स्तावज्ञा अपलोड किए हैं, तो यह स्वचालित रूप सामह सुनिश्चित नहीं करता है कि यद स्तावज्ञा तकनीकी बोली का हिस्सा हैं।

बोलियां जमा करना

- 1. बोलीदाता को बोली जमा करनक्क्यालिए काफी पहलक्की साइट पर लॉग इन करना चाहिए ताकि विसमय पर यानी बोली जमा करनक्क्य समय पर या उससम्प्रहलक्कोली अपलोड कर सकें। अन्य मुद्दों क्यकारण किसी भी दक्षी क्यलिए बोलीदाता जिम्मवार होगा।
- 2. बोलीदाता को निविदा दस्ताव**ा** में दर्शाए अनुसार आवश्यक बोली दस्तावाां को एक-एक करकाः डिजिटल रूप साहस्ताक्षरित और अपलोड करना होगा।
- 3. बोलीदाता को निविदा शुल्क / ईएमडी का भुगतान करनक्क्यिलिए "ऑफ़लाइन" क्यरूप में भुगतान विकल्प का चयन करना होगा और उपकरण का विवरण दर्ज करना होगा।
- 4. बोलीदाता को निविदा दस्ताव**छ** में निर्दिष्ट निर्देशों क्वाअनुसार ईएमडी तैयार करनी चाहिए। मूल को बोली जमा करनक्की अंतिम तिथि तक या निविदा दस्ताव**छों** में निर्दिष्ट अनुसार संबंधित अधिकारी को व्यक्तिगत रूप सक्त्रोस्ट/कूरियर/दिया जाना चाहिए। भौतिक रूप सक्त्रावाए डीडी/किसी अन्य स्वीकृत साधन का विवरण स्कैन की गई प्रति में उपलब्ध विवरण और बोली जमा करनक्क्ष्यसमय दर्ज किए गए डाह्या सक्त्राच खाना चाहिए। अन्यथा अपलोड की गई बोली अस्वीकार कर दी जाएगी।
- 5. बोलीदाताओं साअनुरोध है कि वामोट करें कि वाआवश्यक रूप साप्रदान किए गए प्रारूप में अपनी वित्तीय बोलियां जमा करें और कोई अन्य प्रारूप स्वीकार्य नहीं है। यदि मूल्य बोली को निविदा दस्तावा का का साथ मानक बीओक्यू प्रारूप का रूप में दिया गया है, तो इसाइ उनलोड किया जाना है और सभी बोलीदाताओं द्वारा भरा जाना है। बोलीदाताओं को बीओक्यू फ़ाइल डाउनलोड करनी होगी, इसाइ बोलना होगा और सफद्ध रंग (असुरक्षित) सा को उनका मंबंधित वित्तीय उद्धरण और अन्य विवरण (जैसा बोलीदाता का नाम) का साथ पूरा करना होगा। कोई अन्य सा नहीं बदला जाना चाहिए। एक बार विवरण पूरा हो जाना मा बात बोलीदाता को फ़ाइल नाम बदला बिना इसा महा चाहिए और इसा जॉनलाइन जमा करना चाहिए। यदि बोलीदाता द्वारा बीओक्यू फ़ाइल को संशोधित पाया जाता है, तो बोली को अस्वीकार कर दिया जाएगा।
- 6. सर्वर समय (जो बोलीदाताओं क्∑ैशबोर्ड पर प्रदर्शित होता है) को बोलीदाताओं द्वारा बोली जमा करन□बोलियां खोलन□आदि की समय सीमा को संदर्भित करनाक्क्∑िलए मानक समय माना जाएगा। बोलीदाताओं को बोली जमा करनाक्क्यदौरान इस समय का पालन करना चाहिए।
- 7. डवा की गोपनीयता सुनिश्चित करनक्कािलए बोलीदाताओं द्वारा प्रस्तुत किए जा रहािसभी दस्तावा्वों को पीकाआई एन्क्रिप्शन तकनीकों का उपयोग करकाएन्क्रिप्ट किया जाएगा। दर्ज किए गए डवा को अनिधकृत व्यक्तियों द्वारा बोली खुलनक्कािसमय तक नहीं दाक्षा जा सकता है। सुरक्षित सॉकाट लाहर 128 बिट एन्क्रिप्शन तकनीक का उपयोग करकाि बोलियों की गोपनीयता बनाए रखी जाती है। संवादनशील क्षात्रों का डावा भंडारण एन्क्रिप्शन किया जाता है। कोई भी बोली दस्तावाद्य जो सर्वर पर अपलोड किया जाता है, सिस्टम



द्वारा उत्पन्न समित कुंजी का उ□योग करके समित एन्क्रिप्शन के अधीन होता है। इसके अलावा यह कुंजी खरीदारों/बोली खोलने वाले की सार्वजिनक कुंजी का उ□योग करके असमित एन्क्रिप्शन के अधीन है। कुल मिलाकर, अ□लोड किए गए निविदा दस्तावेज अधिकृत बोली खोलने वालों द्वारा निविदा खोलने के बाद ही □ढ़ने योग्य हो जाते हैं।

- 8. अ□लोड किए गए निविदा दस्तावेज अधिकृत बोली खोलने वालों द्वारा निविदा खोलने के बाद ही □ढ़ने योग्य हो जाते हैं।
- 9. बोलियों को सफलतापूर्वक और समय □र प्रस्तुत करने □र (अर्थात □ोर्टल में "फ्रीज बिड सबमिशन" □र क्लिक करने के बाद), □ोर्टल एक सफल बोली सबमिशन संदेश देगा और बोली संख्या के साथ एक बोली सारांश प्रदर्शित किया जाएगा। और अन्य सभी प्रासंगिक विवरणों के साथ बोली जमा करने की तिथि और समय।
- 10. बोली सारांश मुद्रित किया जाना चाहिए और बोली प्रस्तुत करने की □ावती के रू□ में रखा जाना चाहिए। इस □ावती का उ□योग किसी भी बोली खोलने की बैठक के लिए प्रवेश □ास के रू□ में किया जा सकता है।

बोलीदाताओं को सहायता

- 2. ऑनलाइन बोली जमा करने की प्रक्रिया से संबंधित कोई भी प्रश्न या सामान्य रूप से सीवीवी वोर्टल से संबंधित प्रश्नों को 24x7 सीवीवी वोर्टल हेल्पडेस्क को निर्देशित किया जा सकता है।

व्यक्ति से सं□र्क करें (ऑनलाइन सबमिशन के लिए)

HOCL कार्य समन्वयक

श्री. मिथुन बाबू, सीनियर सिस्टम एनालिस्ट - HOCL मोबाइल नंबर : 8921387812, 8547196394 श्री. एल्दोस बेबी सहायक प्रबंधक (यांत्रिक) मोबाइल नंबर : 7012497507/9745667399/ 0484 2727394



This Document to be Signed and Stamped by Bidder on All Pages and Submitted along with the E-Tender

HINDUSTAN ORGANIC CHEMICALS LIMITED (A Government of India Enterprise) Ambalamugal P.O., Ernakulam District, Kerala – 682 302.

General instructions for Online Bid Submission

The bidders are required to submit soft copies of their bids electronically on the Central Public Procurement Portal(Govt. Of India), using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

REGISTRATION

- 1. Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.
- 2. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6. Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- 1. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.



PREPARATION OF BID

- 1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

Note: My Documents space is only a repository given to the Bidders to ease the uploading process. If Bidder has uploaded his Documents in My Documents space, this does not automatically ensure these Documents being part of Technical Bid.

SUBMISSION OF BIDS

- 1. Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3. Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4. Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.



- 6. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 7. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 9. Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 10. The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

Contact Person (for online submission)

Mr.Midhun Babu Sr. Systems Analyst - HOCL Mobile No. 8921387812, 8547196394 **HOCL Work Co-ordinator**

Mr. Eldhose Baby Assistant Manager (Mechanical) Mobile No. 7012497507/9745667399/ 0484 2727394



ANNEXURE-I

GENERAL TERMS AND CONDITIONS OF THE TENDER

Pre-Qualification Criteria (to be included in the Technical Bid)

The Tenderers shall submit the following in the Technical bid (Un priced Bid) without which the tender will be rejected.

- Complete set of Tender Document duly filled in and signed by the Tenderer as prescribed in different clauses of the Tender Document.
- GCC duly filled in the relevant portions, signed and stamped all the pages by the tenderer (The tenderers have to download the GCC (General Conditions of Contract) from our web site www.hoclkochi.com and the same has to be returned along with the technical bid duly signed and stamped in all pages.
- Tender should accompany the details asked in A, B,C, D, E, F, H, L, R, S, AC & DRAWINGS
- Copies of work orders already completed or in progress
- Completion certificates
- Organization chart with details of key persons
- Tools and tackles available
- Concurrent commitments
- GSTN registration
- Experience on similar works executed during the last five years and details like monetary value, proof of satisfactory completion of works etc.

Clause - 1 & 2 (not applicable to MSME)

- Average annual financial turnover during the last 3 years, ending 31st March of the previous financial year, should be at least ₹3.7Lakhs. (Details of annual financial turnover to be submitted with Documentary proof).
- 2. Experience of having successfully completed similar works during last 7 years ending last day of month previous to the one in which applications are invited should be either of the following:

Three similar completed works costing not less than the amount equal to ₹4.9Lakhs.

OR

Two similar completed works costing not less than the amount equal to **₹6.1 Lakhs.**

OR

One similar completed works costing not less than the amount equal to ₹9.8 Lakhs.

- 3. The parties who have been blacklisted / put in holiday list or parties in respect of whom action has been initiated for Blacklisting / Holiday listing by HOCL/any government / Quasi government agencies or any PSUs shall not be considered for award of job. The tenderer should give a written declaration regarding the same.
- 4. In addition to Clause No.3.7 of our GCC, the tenderer who do not meet the basic requirements (technical / commercial) as per the tender enquiry document and any other important condition having significant bearing on the cost / utility / performance of the required goods, services etc. will be treated as unresponsive and the tender will be liable to rejection.

EARNEST MONEY DEPOSIT - NOT APPLICABLE TO MSME / SSI Units /PSUs

Quotation shall accompany an EMD of ₹30,700/- shall be paid by crossed DD/Bankers Cheque/thro' NEFT.

Bank Details

- Central Bank of India, Tripunithura
- A/c No. 3580607136
- IFSC CBIN0284515



Performance Security

- o Performance security shall be 10% of total work order value of the contract. It shall be furnished within 21 days after notification of award and it shall remain valid for a period of 60 days after completion of work.
- Performance Security shall be furnished in the form of Account Payee Demand Draft/ Bank Guarantee issued from any Commercial Bank in India having a branch in Ernakulam Dist, Kerala / on online payment in an acceptable form.

Security Deposit

- Total security deposit shall be 5% of total contract value. This shall be recovered through deductions at the
 rate of 5% (Five percent) of the value of each running account bill till the total security deposit amount is
 collected, after which no further deductions shall be made on this account.
- Security Deposit shall be refunded not later than 60 days to the contractor without any interest after the completion of contract in all respects and completion of all such obligations under the contract.

Liquidated Damages

If the work is not completed within the stipulated time, the contractor is liable to pay a LD of ½% of the total contract value per day of the delay or part there of subject to a maximum of 5% of the contract value.

Defect Liability Period (Period Of Liability)

The contractor shall guarantee the entire work for a period of 12 months from the date of completion of work.

Time of Completion

Time of completion shall be within **10 days** from the date of clearance to start the work. However, all possible pre-fabrication work should be completed 5 days prior to give as per instruction from HOCL.

Period of Contract

The period of the contract shall be **6 Months** from the date of issue of work order/issue of instruction to start the work.

Scope of Supply

Materials

a. Contractor's Scope

All skilled &Unskilled manpower required for the work is to be arranged by the contractor. Scaffolding material (pipe & clamps) and its erection if required to be arranged by the contractor. All consumables, welding rod, welding machine, coaltar epoxy paint, tools, tackles, etc. required for the work has to be arranged by the contractor at his cost.

Contractor has to make his own arrangements to distribute the power through ELCB/Circuit Breakers. Scaffolding if required shall be brought and erected by the Contractor at his cost.

b. HOCL's Scope

Steel structural like MS Plates, SS Plates, Channels, angles etc., steel studs, fasteners and SS Pipes required for the work shall be provided by HOCL at free of cost. HOC will provide compressed air, water and electric power at one point.



Tools & Tackles

a. Contractor's Scope

All tools, tackles, welding generators, grinding machine, electrode oven, cutting torches, consumables like welding electrodes, cutting wheels, grinding wheels, oxygen /Acetylene etc. lifting equipments such as chain pulleys, slings and other tools, required for the satisfactory completion of the work has to be arranged by the contractor. Contractor should use the industrial type plug socket with ISI mark for their portable electrical equipments/tools and switch board with ELCB connection.

b. HOCL's Scope

Nil

Water and Power

HOCL will provide free water, electricity and air at one point for each machine (Air at 5 Kg/cm2, Electricity -3 phase /415V)

General Site Cleaning

Working site should always be kept cleaned up to the entire satisfaction of the Engineer/Officer-In-Charge. Upon completion of the work, all materials shall be transported to designated locations in HOCL premises as directed by the Engineer/Officer-In-Charge on daily basis. Material reconciliation has to be carried out before submitting the bill.

Validity of The Tender

The tender shall be kept valid for acceptance for a period of THREE months from the last date prescribed for receipt of the tender.

A Tenderer shall not be entitled during the said period of three months without the consent in writing of the company to revoke or cancel his tender or to vary the tendered rate or any terms thereof.

Price

The Contract will be awarded on fixed all-inclusive price unless otherwise specified. All rates in the tender shall cover applicable taxes, levies and duties. However applicable GST will be paid by HOCL subject to the successful tenderer having GST registration with Central Excise.

The price shall be quoted both in figures and words. In case a tenderer has quoted two different prices in words and figures the lower of the two will be considered valid and binding on the tenderer.

Payment Terms

- 95% payment will be made on pro rata basis after completion of work and certification by Engineer-in-Charge.
- Balance 5% payment will be kept as security deposit and it will be released after the completion of contract in all respects & completion of all obligations under the contract.

AGREEMENT

THE CONTRACTOR HAS TO EXECUTE AN AGREEMENT WITH HOCL IN THE PRESCRIBED FORMAT ON A NON-JUDICIAL STAMP PAPER OF ₹ 200/- IN CASE OF PLACEMENT OF WORK ORDER



Site Visit - 29/02/2024

- a. For Scope involving Site Work, bidder, if required, may visit and examine the HOCL Site and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the bid. All costs towards the same including the cost of visiting the Site shall be at the bidder's own expense.
- b. Bidder and any of its personnel will be granted permission by HOCL to enter upon its premises for the purpose of such visit, but only upon the express condition that the bidder and its personnel will relieve and indemnify HOCL and its personnel from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection. Bidder shall refer BDS for schedule and contact details related to site visit.

Contract Preference

Contract / Price Preference or any other concessions applicable for **MSME / SSI Units /PSUs** will be as per latest Government of India Directives. For availing this benefit, the bidder shall make their claim in the Bid itself and enclose necessary documentary evidence to prove their eligibility.

WE HAVE ALSO FLOATED TENDER IN GeM PORTAL. IF ANY PARTY QUOTED THROUGH GeM PORTAL AND BECAME L_1 COMPARED TO THE RATES IN NIC PORTAL, WORK WILL BE AWARDED TO THE GeM BIDDER AND VICE VERSA.

OTHER TERMS AND CONDITIONS

General Conditions of Contract (GCC) of HOCL

The General Conditions of Contract of the company is applicable to, and forms part of the contract. The General Conditions of Contract of HOCL is available in the office of The Chief General Manager (HR) of HOCL, Ambalamugal or can be downloaded from our Web site www.hoclkochi.com.

Right to Issue Addendum

The company reserves the right to issue any addendum to the tender document to clarify/amend/supplement and/ or delete any of the conditions, clauses or terms stated in the tender documents. Each addendum issued shall be distributed to the tenderer or his authorized representative and each such addendum shall become part of the tender documents.

Due Date & Time: Due date for submission of tender is (Closing date) 11/03/2024 at 02.00 PM.

<u>Opening of Bids:</u> The Bids will be opened on <u>12/03/2024 at 02.00 PM</u> electronically. Technically acceptable bidders will be informed about the date and time of opening of the price bids by emails.

<u>Validity of Offer:</u> Offer shall be valid for a minimum period of 90 days from the last date of submission stipulated for the tender.

Submission of Bids:

PRICE BID SUBMISSION-BOQ: Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete the blue coloured (unprotected) cells with their respective financial quotes and other details Refer Instructions to Bidder for Online Bid Submission. (such as name of the bidder). No other cells should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.



RIGHT TO REJECT A BID: HOCL reserves the right to reject any bid due to reasons such as (a) Vendor not following above bidding procedures (b) Vendor not being technically acceptable to HOCL (c) Not enclosing EMD with the techno commercial bid or EMD paid being lesser than the stipulated amount (d) Vendor not agreeing with the general conditions of the tender. (e) Not enclosing any particular documents asked for (f) Any other valid reasons.

SIGNING & STAMPING ON ALL PAGES OF BIDS: The vendor shall sign and stamp on all the pages of the bids uploaded, failing which bids are liable to be rejected.



ANNEXURE-II

SCOPE OF WORK

Scope of work includes but not confined to the following:

HOCL is planning to take plant shutdown starting from 1st April 2024.

I. Repair of Clariflocculator in ETP

HOCL is planning to repair the damaged Clariflocculator in ETP during April 2024 shutdown.

- 1. Removal of existing damaged structurals of the Clariflocculator.
- 2. Taking out the damaged Clarifier outside the pit (if necessary) including the centre Column.
- 3. Replace the corroded centre column with a new pipe and its structurals.
- 4. Replace the damaged/corroded structural of 'flocculator' of the assembly.
- 5. Replace the corroded centre column of the 'flocculator'.
- 6. Fabrication and erection of skimmer as per the drawing / existing model at the site.
- 7. Assemble the centre clariflocculator assembly using-
 - Old bottom structure of Clarifier
 - New centre column assembly of the Clariflocculator
 - Old drum of the flocculator
 - New structure of the flocculator
 - New column of the flocculator
 - Any other damaged parts which is found during the disassembly of the Clariflocculator and hand over the equipment to HOCL.
- 8. HOCL will supply the structural, pipes etc. required for the work at their cost.
- 9. Contractor has to do the fabrication and erection of the Clariflocculator assembly.
- 10. <u>Drive assembly</u> of the Clariflocculator will be done by HOCL (Contractor has to do the fabrication and erection works only). However, any help required or modification required in the driven part has to be done by the contractor.
- 11. All consumables, welding rod, welding machine, coaltar epoxy paint, tools, tackles, etc. required for the work has to be arranged by the contractor at his cost. (HOCL will provide all structural materials, pipes, plate for the work at free of cost).
- 12. Full welding of the structural's using welding rod confirm to AWS -E-6013. The welding rod should be of ESSAB/ADVANI/MODI Make.
- 13. After the fabrication/repair of Clariflocculator, it has to be painted with coaltar epoxy as per the specification attached.
- 14. The fabrication and erection of clarifocculator drum and weir plate in rolling of plates as per drawing / site condition has to be done by the contractor.
- 15. The entire work is an urgent shutdown job, so the work has to be done at war footing basis and completed within 10 days from the date of LOI/Work order to start the work.



II. Repair of Final Clarifier in ETP

HOCL is planning to repair the damaged final Clarifier in ETP during this annual shutdown April 2024.

- 1. Removal of existing damaged Influence well of the Clarifier.
- 2. Taking out the damaged final Clarifier outside the pit (if necessary) including the centre Column
- 3. Replace the corroded centre column with a new pipe and its structural, (If required) as per the instruction of engineer –in- charge.
- 4. Replace the damaged/corroded structurals of 'final clarifier' of the assembly, if any .
- 5. Assemble the centre Clarifier assembly using-
- Bottom structure of Clarifier and column after repair.
- Centre column assembly of the Clarifier after repair.
- New Influence Well of the Clarifier.
- Any other damaged parts which is found during the disassembly of the Clarifier new to be rectified and hand over the equipment to HOCL.
- 6. The fabricated Influence Well is available at HOCL Central Work Shop, but the contractor has to shift the same and erect at site at his cost.
- 7. HOCL will supply the structural, pipes etc. required for the work at free of cost. However, proper reconciliation statement has to be submitted along with final bill.
- 8. Maintenance of drive assembly of the final clarifier will be done by HOCL. However, any help required or modification required in the driven part has to be done by the contractor.

III. Strengthening the beam of aerator tank agitators by providing metallic (pipe) support.

The damaged civil structure of the aerator in ETP need to be strengthened by SS support using SS 316 pipes (6" Sch. 40 SS 316 pipe) during the shutdown 2024.

- 1. Fabrication of the SS pipe supports (12 Nos, with 6"sch 40 SS 316 pipe) for strengthening the civil structure of aerator.
- 2. Fabrication of Jack supports (12 Nos.) as per the drawing attached
- 3. Fabrication of the centre beam (6 Nos) as per the drawing attached.
- 4. Erection of scaffolding from top of the platform.
- 5. Erection of the support by immersing the same in aerator tank as per the instruction of Engineer- In-Charge.
- 6. Jack the top part to the existing civil structure after providing 250mm C channel on the top of the support.
- 7. Tighten equally all four support and ensue that the load is proportionally distributed
- 8. Weld the horizontal pipe support between vertical pipes to strengthen the support assembly
- 9. HOCL will provide 20mm SS plate for fabrication of base plates for aerator structure and the supplied 20mm SS plate cutting and its related grinding works should be done by the contractor.
- 10. Removal of scaffolding from aerator well



GENERAL POINTS (Applicable to All Three Works)

- 1. Removal of existing corroded plates/structural support. In case the structural supports are corroded, the same also shall be in the scope of contractor.
- 2. Structural support including handrails of clarifocculator, final clarifier and aerator need to be repaired and painted with coaltar epoxy.
- 3. All steel studs, fasteners and SS Pipes will be supplied by HOCL.
- 4. All consumables, welding rod, welding machine, coaltar epoxy paint, tools, tackles, etc. required for the work has to be arranged by the contractor at his cost. (HOCL will provide only structural materials, pipes, plate for the work at free of cost).
- 5. All joints should be full welded. The welding rod should conform to AWS-E-6013 (Advani/Essab/Modi make only). Cutting of handrails if required for the completion of the work shall be done, the same shall be refitted to its original position. HOC will provide compressed air, water and electric power at one point. Contractor has to make his own arrangements to distribute the power through ELCB/Circuit Breakers.
- 6. The entire work is an urgent shutdown job, so the work has to be done at war footing basis and completed within 10 days from the date of instructions to start the work.
- 7. Proper material reconciliation shall be submitted after completion of work.
- 8. All works are subjected to stage inspection by HOC and should be in accordance with relevant code and engineering practice.
- 9. YOU ARE REQUESTED TO VISIT THE SITE TO ASCERTAIN THE EXACT QUANTUM OF JOB BEFORE SUBMITTING THE TENDER.
- 10. Care should be taken to not damage any other parts/components of the system while carry out the dismantling/repairing of the damaged structural.
- 11. In case of any parts or components required to be removed or damaged while carrying out the dismantling/repair of damaged arms, the same shall be repaired to original condition and position by the contractor within the prescribed time.
- 12. Steel scaffolding if required has to be arranged by the Contractor at his cost.
- 13. All safety appliances like safety shoes, helmet, safety belts etc. has to be arranged by the Contractor at his cost. Contractor is also advised to take necessary Insurance for the people employed by him. HOC will not entertain any claim whatsoever in the event of any accident.
- 14. After the fabricated/repaired of final clarifier part including Influence well, it has to be painted with coal tar epoxy as per the specification attached.
- 15. All the fabricated structural supports has to be painted with one coat of epoxy primer & one coat of coal tar epoxy finish after proper surface preparation. (Surface preparation should be as per SSPC-SP-2-63).

DFT a. Primer - 1 (33 + 3)
b. Finish - 1 (90)
Total DFT of all two coats - 123 microns (min)

16. The contractor has to make arrangement to paint after welding with one coat of epoxy primer & one coat of coal tar epoxy finish in the welded portions.



- 17. The paints used for the above work shall be from the following manufacturers only.
 - 1. Asian Paints (India) Ltd:
 - 2. Bombay Paints, Berger Paints India Ltd:
 - 3. Goodlass Nerolac Paints Ltd:
 - 4. Garware Paints
 - 5. Jenson & Nicholson
 - 6. Shalimar Paints

NOTE:

Erection and hot works at site can be done on clearance from Production Department, however the contractor has to complete the prefabrication works as per instruction of engineer- in-charge well in advance to ensure the shutdown schedule is not hampered.



ANNEXURE-III

SPECIAL CONDITIONS OF CONTRACT

HOCL is planning to take 30 days shutdown in 2024. Since the external environment is favourable to HOCL, all works has to be completed within the stipulated period for early startup of plant. The contractor has to put people as 12 hrs. shift basis (2 shifts – 8.00AM – 8.00PM, 8.00PM – 8.00AM) in full strength. Contractor has to take care the same while submitting their offer. Any deviation will be viewed very seriously. Also please note that the completion period spelt in NIT is for each work. (Hence, the LD Clause will be applicable to each work also.)

- 1. Contractor has to ensure that one electrician and one safety officer should be available in both the shifts in each site.
- 2. Contractor has to ensure that there should not be any delay in shift change overtime. The work has continue in same momentum during shift change time (8.00AM & 8.00PM). Measures to be made by the contractor to bring workers in advance for the same.
- 3. All manpower, tools, tackles, hydraulic test pumps, lifting tools, ropes, wire brushes, chain pulley block, wheel barrows etc. whatever required for the work are to be arranged by the contractor. A list of tools and tackles intended to be brought for the work by the contractor has to be kept along with the bid.
- 4. Spiral wound Gaskets, bolts, nuts, fasteners required for the work will be supplied by HOCL free of cost as per requirement. But HOC will issue only the gasket sheets for initial blinding. It has to be cut to the correct size by the contractor at his cost.
- 5. Safety Helmets, safety shoes, goggles, safety belts and other PPEs etc. for the workmen and supervisor employed for the work are to be arranged by the contractor.
- 6. No work to be carried out without wearing safety gadgets (PPE's), work order, confined space entry record and safety work permit by the employees of the contractor.
- 7. This work is a **shutdown activity** and you have to put all efforts to complete the work in time. Also you have to deploy people on round the clock basis as per the instruction of Engineer-in-Charge.
- 8. The entire work is to be carried out as per the standard engineering practice and subjected to stage inspection by HOC/3rd party inspection agency.
- 9. All debris, waste etc. arising out of the job should be segregated weighed, transported and dumped into the scrap yard as per the instruction of Engineer-in-Charge at your cost. The contractor also has to abide by the guidelines for Environmental Protection.
- 10. <u>HOC has every right to stop the work if the progress and quality of work is found unsatisfactory</u>. The balance work will be carried out by HOC through another agency at the cost and risk of the first contractor.
- 11. Contractor has to mobilise the complete team with necessary tools and tackles within 24 hours from the time of intimation to start the work.
- 12. Either the contractor or his authorised supervisor shall be available at work site throughout the work in both shifts.
- 13. Being a shutdown job, the quantity shown can vary ie. Increase or decrease depending upon the situation. However, the rate and other terms and conditions shall be same throughout the pendency of the contract for which the contractor shall be ready.



- 14. Appropriate insurance shall be arranged by the contractor for the coverage of the liability to the people employed by them, arising out of any accident occurring during the execution of the work.
- 15. The Contractor shall follow all clauses in Annexures ESI, Safety Regulations and General Conditions of Contract, Workmen Compensation, Personal Protective Equipments (PPE), Labour Laws, PF, Guidelines to contractors/suppliers for environmental protection & Confined Space Entry, Scaffolding Checklist, Scaffolding Manual & Scaffolding Parts & Erection Procedure (Tube & Clamp).
- 16. Contractor shall get prior permission from the Engineer-in-Charge for bringing the material to HOC.
- 17. Contractor shall ensure that a standby person is kept outside the man-way nozzle when the work is inside a confined space.
- 18. You are requested to visit the site to ascertain the exact quantum of work/site condition and get acquainted before submitting your offer.



ANNEXURE-IV

COMPLIANCE / NO-DEVIATION STATEMENT

It is hereby stated that the quotation/offer submitted by us is in full compliance with all the documents issued against the enquiry and also further confirmed that there is no deviation from all the terms and conditions as per the enquiry.

Signature of the Tenderer	:		
Name of the Tenderer	:		
Address	:		
Place :		SEAL	
Date :			



ANNEXURE - V

COMPLIANCE OF GENERAL CONDITIONS OF CONTRACT (GCC)

It is hereby stated that we have read and understood General Conditions of Contract (GCC) and confirm that we abide by all the terms and conditions of GCC.

Signature of the Tenderer	:	
Name of the Tenderer	:	
Address	:	
Place :		SEAL
Date :		



ANNEXURE-VI

CHECK LIST

PRE-QUALIFICATION CRITERIA (TO BE INCLUDED IN THE TECHNICAL BID)

EARNEST MONEY DEPOSIT - NOT APPLICABLE TO MSME / SSI Units /PSUs

Quotation shall accompany an EMD of ₹30,700/- shall be paid by crossed DD/Bankers Cheque/thro' NEFT.

Bank Details - Central Bank of India, Tripunithura

- A/c No. 3580607136 - IFSC - CBIN0284515
- Complete set of Tender Document duly filled in and signed by the Tenderer as prescribed in different clauses of the Tender Document.
- GCC duly filled in the relevant portions, signed and stamped all the pages by the tenderer (The tenderers have to download the GCC (General Conditions of Contract) from our web site www.hoclkochi.com and the same has to be returned along with the technical bid duly signed and stamped in all pages.
- Tender should accompany the details asked in A, B,C, D, E, F, H, L, R, S, AC & Drawings
- Copies of work orders already completed or in progress
- Completion certificates
- Organization chart with details of key persons
- Tools and tackles available
- Concurrent commitments
- GSTN registration
- Experience on similar works executed during the last five years and details like monetary value, proof of satisfactory completion of works etc.
- Scope of Work, General Terms and Conditions (Annexure I, II, III, IV, V, VI, A, B, C & DRAWINGS
 (complete set of Tender Documents) to be signed and stamped on all pages, scanned and
 uploaded (YES/NO).
- Proforma of Declaration of Black Listing/ Holiday Listing (Annexure D) duly filled, signed and stamped, scanned and uploaded (YES/NO).
- Bidder Information (Annexure E) put √ mark in front of your confirmation, signed and stamped, scanned and uploaded (YES/NO).
- Self Declaration of Local Content (Annexure F) duly filled, signed and stamped, scanned and uploaded. (YES/NO).
- Bid Security Declaration (Annexure H) duly filled, signed and stamped, scanned and uploaded (YES/NO).
- Declaration on Code of Integrity for Public Procurement (COIPP) (Annexure L) duly filled, signed and stamped, scanned and uploaded (YES/NO).
- Declaration of Compliance of Order (Public Procurement No.1, 2 & 3) dt. 23 Jul 2020 & 24 Jul 2020 on Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 (Annexure R) duly filled, signed and stamped, scanned and uploaded (YES/NO).



- Instructions to the contractors for use of vehicles (Annexure S) duly signed and stamped, scanned and uploaded (YES/NO).
- Scaffolding Checklist, Scaffolding Manual, Scaffolding parts and Erection Procedure duly signed and stamped, scanned and uploaded (YES/NO).
- GCC duly filled in the relevant portions, signed and stamped all the pages by the tenderer (The
 tenderers have to download the GCC (General Conditions of Contract) from our web site
 www.hoclkochi.com and the same has to be returned along with the technical bid duly signed and
 stamped in all pages.
- Exceptions and deviations, if any, with reference to the Clause No. and page No. of Tender shall be submitted as a separate statement (Deviation Statement).

Clause - 1 & 2 (not applicable to MSME)

- Average annual financial turnover during the last 3 years, ending 31st March of the previous financial year, should be at least ₹3.7Lakhs. (Details of annual financial turnover to be submitted with Documentary proof).
- 2. Experience of having successfully completed similar works during last 7 years ending last day of month previous to the one in which applications are invited should be either of the following:

Three similar completed works costing not less than the amount equal to ₹4.9Lakhs.

OR

Two similar completed works costing not less than the amount equal to ₹6.1 Lakhs.

OR

One similar completed works costing not less than the amount equal to ₹9.8 Lakhs.

- 3. The parties who have been blacklisted / put in holiday list or parties in respect of whom action has been initiated for Blacklisting / Holiday listing by HOCL/any government / Quasi government agencies or any PSUs shall not be considered for award of job. The tenderer should give a written declaration regarding the same.
- 4. In addition to Clause No.3.7 of our GCC, the tenderer who do not meet the basic requirements (technical / commercial) as per the tender enquiry document and any other important condition having significant bearing on the cost / utility / performance of the required goods, services etc. will be treated as unresponsive and the tender will be liable to rejection.

Signature of the Tenderer	:
Name of the Tenderer	:
Address	:
Place :	
Date :	