



Bid Number/बोली क्रमांक (बिड संख्या): GEM/2024/B/4616871 Dated/दिनांक : 11-02-2024

# Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण			
Bid End Date/Time/बिड बंद होने की तारीख/समय	26-02-2024 14:00:00		
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	26-02-2024 14:30:00		
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	60 (Days)		
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Chemicals And Fertilizers		
Department Name/विभाग का नाम	Department Of Chemicals And Petrochemicals		
Organisation Name/संगठन का नाम	Hindustan Organic Chemicals Limited		
Office Name/कार्यालय का नाम	Ambalamugal,ernakulam		
Total Quantity/कुल मात्रा	5975		
Item Category/मद केटेगरी	SPW METALLIC GASKET 20MMX150 , SPW METALLIC GASKET 25MMX150 , SPW METALLIC GASKET 25MMX150 , SPW METALLIC GASKET 25MMX300 , SPW METALLIC GASKET 40MMX150 , SPW METALLIC GASKET 40MMX300 , SPW METALLIC GASKET 40MMX300 , SPW METALLIC GASKET 50MMX150 , SPW METALLIC GASKET 50MMX300 , SPW METALLIC GASKET 80MMX300 , SPW METALLIC GASKET 100MMX300 , SPW METALLIC GASKET 150MMX150 , SPW METALLIC GASKET 150MMX300 , SPW METALLIC GASKET 200MMX300 , SPW METALLIC GASKET 200MMX150 , SPW METALLIC GASKET 21 INCHX150 , SPW METALLIC GASKET 14 INCHX150 , SPW METALLIC GASKET 14 INCHX150 , SPW METALLIC GASKET 18 INCHX150 , SPW METALLIC GASKET 20 INCHX150 , SPW METALLIC GASKET 20 INCHX300 , SPW METALLIC GASKET 20 INCHX300 , SPW METALLIC GASKET 24 INCHX300 , SPW METALLIC GASKET 24 INCHX300 , SPW METALLIC GASKET 24 INCHX300		
BOQ Title/बीओक्यू शीर्षक	SPIRAL WOUND METALLIC GASKETS		
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)		
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes		
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes		

Bid Details/बिड विवरण				
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Certificate (Requeste in ATC), OEM Authorization Certificate, Additional Doc 1 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience, Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Past Performance/विगत प्रदर्शन	80 %			
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No			
Type of Bid∕बिंड का प्रकार	Single Packet Bid			
Primary product category	SPW METALLIC GASKET 20MMX150			
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days			
Inspection Required (By Empanelled Inspection Authority / Agencies pre- registered with GeM)	No			
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation			

## EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

# ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

# Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

# MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

# MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

  OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

  5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over. Pact Performance and Project / Pact Experience of the purpose of the purpose and Project / Pact Experience of the purpose of the purpose and Project / Pact Experience of the purpose of the purpose and Project / Pact Experience o
- 5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount an for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### **SPW METALLIC GASKET 20MMX150**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/ਧਗ	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	300	15

#### **SPW METALLIC GASKET 20MMX300**

## Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	300	15

#### **SPW METALLIC GASKET 25MMX150**

# Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	250	15

## **SPW METALLIC GASKET 25MMX300**

## Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>	
BOQ Detail Document	<u>View File</u>	

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	600	15

# **SPW METALLIC GASKET 40MMX150**

## Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory	/-Plaaca	rofor	attached BO0	) document	for detailed	consignad	list and	delivery	neriod
AUVISUL	/-riease	ıeıeı	attached bot	, aucument	ioi detalled	considiree	iist ariu	uelively	penou.

# Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	500	15

#### **SPW METALLIC GASKET 40MMX300**

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	500	15

#### **SPW METALLIC GASKET 50MMX150**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>	
BOQ Detail Document	<u>View File</u>	

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	500	15

## **SPW METALLIC GASKET 50MMX300**

# Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	300	15

#### **SPW METALLIC GASKET 80MMX150**

## Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

s.	No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1		Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	400	15

#### **SPW METALLIC GASKET 80MMX300**

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	200	15

#### **SPW METALLIC GASKET 100MMX300**

## Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	150	15

#### **SPW METALLIC GASKET 150MMX150**

## Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	300	15

## **SPW METALLIC GASKET 150MMX300**

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	400	15

## **SPW METALLIC GASKET 200MMX150**

# Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	300	15

#### **SPW METALLIC GASKET 200MMX300**

# Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	500	15

#### **SPW METALLIC GASKET 250MMX150**

## Technical Specifications/तकनीकी विशिष्टियाँ

	Specification Document	<u>View File</u>	
.			

# BOQ Detail Document View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	50	15

#### **SPW METALLIC GASKET 12 INCHX150**

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	100	15

# **SPW METALLIC GASKET 14 INCHX150**

# Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	100	15

## **SPW METALLIC GASKET 18 INCHX150**

# Technical Specifications/तकनीकी विशिष्टियाँ

9	Specification Document	<u>View File</u>
E	30Q Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	20	15

## **SPW METALLIC GASKET 18 INCHX300**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	40	15

#### **SPW METALLIC GASKET 20 INCHX150**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	20	15

#### **SPW METALLIC GASKET 20 INCHX300**

## Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	50	15

#### **SPW METALLIC GASKET 22 INCHX300**

# Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

s.	No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1		Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	20	15

#### **SPW METALLIC GASKET 24 INCHX150**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.I	No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1		Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	50	15

## **SPW METALLIC GASKET 24 INCHX300**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhilash M S	682302,HINDUSTAN ORGANIC CHEMICALS LTD, AMBALAMUGAL ERNAKULAM	25	15

# Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

#### 4. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 5. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly,

manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 6. Generic

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 7. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

#### 8. Generic

- 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
- 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

#### 9. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 10. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

#### 11. Scope of Supply

Scope of supply (Bid price to include all cost components): Only supply of Goods

#### 12. Purchase Preference (Centre)

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

#### 13. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 14. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

#### 15. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 16. Certificates

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

As per the Annexure VI (Checklist) of buyer added bid specific ATC Document

#### 17. Past Project Experience

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

#### 18. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

BIDDERS SHOULD SUBMIT ALL THE DOCUMENTS MENTIONED IN THE ANNEXURE VI (CHECKLIST) OF BUYER ADDED BID SPECIFIC ATC DOCUMENT DULY FILLED SIGNED AND SEALE D IN ALL PAGES ALONG WITH THE TECHNICAL DOCUMENT

#### 19. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

#### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.

- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

#### This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

#### ---Thank You/धन्यवाद---



# HINDUSTAN ORGANIC CHEMICALS LIMITED (A GOVERNMENT OF INDIA ENTERPRISE) AMBALAMUGAL, ERNAKULAM DISTRICT, PIN – 682 302 PHONE: (0484) 2720911

SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING S3316 SPIRAL WOUND 3/4"X150# SS316 WITH OUTER RING S3316 SPIRAL WOUND 3/4"X300# SS316 WITH OUTER RING SASKET SPIRAL WOUND 3/4"X300# SS316 WITH OUTER RING SASKET SPIRAL WOUND 3/4"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND "X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND SCAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND SCAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND SCAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND SCAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND SCAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND SCAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND SCAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND SCAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND SCAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL W	Item	Item Description	Qty	Unit
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND JA/#X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRA				
1 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3/4"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND "X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 4 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 10 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 11 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API60	Itallibei	SS316 SDIRAL WOLLND GRAPHITE FILLED GASKET WITH CS OLITERRING		
GASKET SPIRAL WOUND 3/4"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 SS316 SPIRAL WOUND J4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND CRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND CRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND CRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 S	1		300	NOS
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND 3/4"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND 1"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 10 CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 11 CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 11 CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 12 CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 13 CONFIRMS TO APIGOI/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET W	_	•	300	1103
2 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3/4"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND T"X310# SS316 WITH OUTER RING SS316 SPIRAL WOUND T"X300# SS316 WITH OUTER RING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND 11/2"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND 11/2"X300# SS316 WITH OUTER RING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 10 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 11 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASK				
GASKET SPIRAL WOUND 3/4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND 1"X150# SS316 WITH OUTER RING  CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO APIGO1/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH	2		300	NOS
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 SS316 SPIRAL WOUND 1"X150# SS316 WITH OUTER RING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND 1 1/2"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND 1 1/2"X150# SS316 WITH OUTER RING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 1 1/2"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OU	_	•		
GASKET SPIRAL WOUND 1"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  SS316 SPIRAL WOUND 1"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET W		· ·		
GASKET SPIRAL WOUND 1"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  GASKET SPIRAL WOUND 1"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND 1"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND	3		250	NOS
4 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 1"X300# SS316 WITH OUTER RING S316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 1 1/2"X150# SS316 WITH OUTER RING S316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING TO CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 2"X150# SS316 WITH OUTER RING S3316 SPIRAL WOUND 2"X150# SS316 WITH OUTER RING S3316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING S3316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		•		
GASKET SPIRAL WOUND 1"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND 1 1/2"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND APHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 1 1/2"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING GASKET SPIRAL WOUND 1 1/2"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	4	CONFIRMS TO API601/ASME B16.20	600	NOS
5 CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND 1 1/2"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  11 CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  12 CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  13 CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  1400 NOS  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		GASKET SPIRAL WOUND 1"X300# SS316 WITH OUTER RING		
GASKET SPIRAL WOUND 1 1/2"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND 1 1/2"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  10 CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  11 CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  12 CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  12 CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  13 CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 11/2"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 2"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND 2"X150# SS316 WITH OUTER RING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 2"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND 3"X150# SS316 WITH OUTER RING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	5	CONFIRMS TO API601/ASME B16.20	500	NOS
6 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 1 1/2"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  7 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 2"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  8 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  9 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  9 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND 3"X150# SS316 WITH OUTER RING  10 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  11 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  13 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  14 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		GASKET SPIRAL WOUND 1 1/2"X150# SS316 WITH OUTER RING		
GASKET SPIRAL WOUND 1 1/2"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 2"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND 2"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  10 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  11 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 2"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 2"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 11 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND 4"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 13 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	6	CONFIRMS TO API601/ASME B16.20	500	NOS
7 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 2"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING OCONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		GASKET SPIRAL WOUND 1 1/2"X300# SS316 WITH OUTER RING		
GASKET SPIRAL WOUND 2"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20  GASKET SPIRAL WOUND 2"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  9 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  10 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  11 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  13 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  13 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	7	•	500	NOS
8 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 2"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING		GASKET SPIRAL WOUND 2"X150# SS316 WITH OUTER RING		
GASKET SPIRAL WOUND 2"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND 6"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING				
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	8	•	300	NOS
9 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND 6"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING				
GASKET SPIRAL WOUND 3"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  11 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND 6"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING				
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND 6"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	9	·	400	NOS
10 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 11 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 13 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 1400 NOS GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING				
GASKET SPIRAL WOUND 3"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND 6"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	40		200	NOC
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	10	·	200	NOS
11 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING 13 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING				
GASKET SPIRAL WOUND 4"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	11		150	NOS
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	11	•	150	NOS
12 CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING				
GASKET SPIRAL WOUND 6"X150# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING  CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING  SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	12		300	NOS
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	12	•	300	1103
13 CONFIRMS TO API601/ASME B16.20 400 NOS GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING				
GASKET SPIRAL WOUND 6"X300# SS316 WITH OUTER RING SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	13		400	NOS
SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING	10	•	.00	
	14	CONFIRMS TO API601/ASME B16.20	300	NOS
GASKET SPIRAL WOUND 8"X150# SS316 WITH OUTER RING		·	_ 30	

15	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 8"X300# SS316 WITH OUTER RING	500	NOS
16	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 10"X150# SS316 WITH OUTER RING	50	NOS
17	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 12"X150# SS316 WITH OUTER RING	100	NOS
18	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 14"X150# SS316 WITH OUTER RING	100	NOS
19	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 18"X150# SS316 WITH OUTER RING	20	NOS
20	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 18"X300# SS316 WITH OUTER RING	40	NOS
21	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 20"X150# SS316 WITH OUTER RING	20	NOS
22	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 20"X300# SS316 WITH OUTER RING	50	NOS
23	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 22"X300# SS316 WITH OUTER RING	20	NOS
24	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 24"X150# SS316 WITH OUTER RING	50	NOS
25	SS316 SPIRAL WOUND GRAPHITE FILLED GASKET WITH CS OUTERRING CONFIRMS TO API601/ASME B16.20 GASKET SPIRAL WOUND 24"X300# SS316 WITH OUTER RING	25	NOS

#### NOTE:

- MTC SHOULD BE PROVIDED ALONG WITH SUPPLY.
- THIS ITEM IS REQUIRED FOR ANNUAL SHUTDOWN WORKS. HENCE THE SUPPLIER SHOULD STRICTLY ADHERE TO THE DELIVERY PERIOD.
- DETAILED TECHNICAL SPECIFICATION OR CATALOGUE OF OFFERED PRODUCT SHOULD BE SULBITTED ALONG WITH TECHNICAL BID

\*



# हिंदुस्तानऑर्गेनिककेमिकल्सलिमिटेड HINDUSTAN ORGANIC CHEMICALS LTD (भारतसरकारकाउद्यम A Government of India Enterprise) अंबलमुगल,कोची AMBALAMUGAL, COCHIN – 682 302 दूरभाष Phone: (0484) 2720911

, -
-----

Dear Sir,

Hindustan Organic Chemicals Ltd. is a Govt. of India Undertaking manufacturing Phenol, Acetone & Hydrogen Peroxide at its plant at Kochi, Kerala, India. HOCL invites GEM Bids for **SPIRAL WOUND METALLIC GASKETS** 

You may submit your offer on Single bid system online before the due date and time specified.

Thanking you,

Yours faithfully, For Hindustan Organic Chemicals Ltd.

बी बालचन्द्रन B. BALACHANDRAN
महा प्रबन्धक (सामग्री) General Manager (Materials)
हिंदुस्तान ऑर्गेनिक केमिकल्स लिमिटेड
HINDUSTAN ORGANIC CHEMICALS LIMITED
(भारत सरकार का उद्यम A Govt.of India Enterprise)
अंबलमुगल, कोची, केरल Ambalamugal, Kochi, Kerala-682302
Tel:0484-2727346.

#### **ANNEXURE I**

#### Eligibility criteria for participating in the bid.

#### Offers of bidders who satisfy the following Eligibility Criteria only will be considered.

- a. Vendor should have sufficient technical and commercial capability to supply the materials as per HOCL requirements
- b. Vendor must have executed orders of 9.57 Lakhs for similar items in the last three financial years
- c. Vendor should have executed at least one order of 2.39 Lakhs for the similar items in the last three financial years.
- d. Vendor should submit Balance sheet of last 3 financial Years.
- e. Vendor should have upload work order copies of Minimum 3 Nos of Reputed Customers preferably PSUs/Govt.Organisations for similar items
- f. Repeat works order copies or satisfactory performance certificates issued by reputed organizations preferably PSUs for similar items
- g. Client list

Vendor should provide documentary evidences for all the above along with the Technical Bid. HOCL registered vendors are exempted from furnishing above document as in point nos a to g. MSME vendors as well as starts ups are eligible for relaxation on condition of prior turn over and prior experience subject to meeting of quality and technical specifications

\*

#### **ANNEXURE II**

#### **GENERAL TERMS AND CONDITIONS FOR E BID SUBMISSION**

Please submit your e-bids conforming to the specifications and the terms and conditions attached as per instructions given below:-

- 1. MTC SHOULD BE PROVIDED ALONG WITH THE SUPPLY
- 2. THE SUPPLIERS SHOULD STRICTLY ADHERE TO THE DELIVERY PERIOD AS PER THE BID DOCUMENT.
- 3. DETAILED TECHNICAL SPECIFICATION OR CATALOGUE OF OFFERED PRODUCT SHOULD BE SULBITTED ALONG WITH TECHNICAL BID
- 4. The bid shall contain as integral part of the same the following compliance statement: "We have read, understood and accepted the terms and conditions of purchase and related documents forming part of this enquiry and agree to supply the goods in compliance with the same."
- 5. Bidders should carefully study the documents of this enquiry. All terms and conditions set out there in the enquiry shall be binding on the bidders unless conflicting with any terms and conditions expressly stated by HOCL while accepting any bid, in the event of such acceptance.
- 6. Bids shall be valid for a minimum of 60 days from the due date for receipt and opening of the bids.
- 7. Specification of the Product: Specifications offered product shall be uploaded along with technical bid
- 8. Payment terms shall be: As per GeM standard payment terms
- 9. Tenderer should agree for inspection of material at their site, if desired by HOCL. The inspection may be carried out by the representative of HOCL or by a third party or jointly.
- 10. The Tenderer must specify their GSTIN No& HSN code of material offered in the BID
- 11. The successful tenderer shall deposit, if so desired by HOCL, an amount equivalent to 5% of the value of order as security deposit within 21 days of the order towards satisfactory execution of the order. No interest will be paid on this amount by HOCL. If the bidders fails to submit the SD as per the tender terms the EMD shall be forfeited.
- 12. **Delivery** will be as per delivery schedule given by HOCL. The delivery schedule shall be given by HOCL and you shall be responsible for arranging supplies as per the schedule. In case the supplier fails to deliver the consignment within the period prescribed, HOCL shall been titled, if so desired by HOCL, to recover from supplier's pending bills against the order or from any other bills a penalty of 0.5% of the price of the goods in arrears per week at discretion of the HOC subject to maximum of 5%.
- 13. Manufacturers test certificate in original or attested, guarantee certificates in original, drawings in original etc. as applicable shall be provided along with the supply.
- 14. Tenderer may attach necessary catalogues/drawings/detailed specifications of the items wherever required. Also clearly specify the make/model of the item offered.

- 15. Purchase preferences, EMD/SD Exemption etc for PSUs/SSI units etc will be applicable as per GOI directives from time to time. For this, the tenderer should claim their eligibility along with the supporting documents in their offer itself.
- 16. RIGHT TO REJECT A BID: HOCL reserves the right to reject any bid due to reasons such as (a) Vendor not following above bidding procedures (b) Vendor not being technically acceptable to HOCL (c) Non submission of EMD payment details with the techno commercial bid or EMD paid being lesser than the stipulated amount (d) Vendor not agreeing with the general conditions of the tender. (e) Not enclosing any particular documents asked for (f) Vendor currently not having BIS certification for barrels (g) Any other valid reasons.
- 17. Risk Purchase: The delivery period is the essence of a contract. If the supplier fails to deliver the material within the period fixed for such delivery, the purchaser is entitled to cancel the contract and to purchase the material not so delivered at the risk and cost of the defaulting supplier.
- 18. DISPUTES: In the event of a contract being executed, all cases of disputes between seller and buyer shall be settled through arbitration as per Indian arbitration and Conciliation act 1996 or any amendments from time to time. The decision of the arbitration shall be final and binding on both the parties.
- 19. JURISDICTION: All questions, disputes or differences arising under or in connection with this contract shall be subject to the exclusive jurisdiction of the courts in Ernakulam, Kerala, India only.
- 20. PRICE: The price quoted shall be for delivery at our factory at Ambalamugal, Ernakulam District, Kerala state. The price quoted by the vendor shall remain firm during the period of contract.
- 21. Restriction on procurement from Bidder who shares the land border with India
- 1. Any bidder from a country which shares a land border with India will be eligible to bid, only if the bidder is registered with the Department for promotion of Industry and Internal Trade (DPIIT). (Pl. refer office Memorandum no. 6/18/2019-PPD dated 23rd July 2020 ) Such bidders should submit the valid copy of registration certificate along with tender. However the said requirement of registration will not be applicable to bidders from those country to which Govt. of India has extended lines of credit or in which Govt. of India is engaged in development of projects. Bidders may appraise themselves of the updated lists of such countries available in the website of Ministry of External Affairs.
- 2. All Bidders shall furnish compliance certificate with respect to above clause as per the format in Annexure V along with the bid

#### 24. The GeM standard term for delivery, payment and price is as follows:

- GeM Std. Payment terms: 100% payment will be released within 10 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and submission of bills.
- ii. Delivery: Free Delivery at Site basis including loading/unloading.
- iii. Price: Quoted price is all inclusive (i.e., freight, taxes and duties etc.)

Pls. note that no deviation is allowed in the above terms, So please ensure that the rate quoted against GeM tender is all inclusive value i.e inclusive of all taxes and duties and on delivered basis and also the payment term shall be within 10 days from the date of receipt & acceptance of material at site.

\*

ANNEXURE III-A						
COMMERCIAL TERM FORMAT						
(Please fill up the details mentioned below in your letter head and upload along with your bid)						
FOR OFFERS THROUGH GEM PORTAL (AS PER GEM STANDARD TERMS AND CONDITIONS ONLY, NO DEVIATION WILL BE ALLOWED)		PAYMENT TERM IS WITHIN 10 DAYS OF RECEIPT AND ACCEPTANCE OF MATERIAL AT SITE RATE QUOTED SHOULD BE INCLUSIVE OF				
		GST AND FREIGHT CHARGES TO DELIVER THE MATERIAL AT SITE				
Sl.No	DETAILS REQUIRED					
1	Name and Address of Organization					
2	Phone No					
3	GSTIN					
4	E-mail id for correspondence					
5	Contact Person Name and Mobile No					
6	Whether registered with MSME/NSIC (If so pl. enclose documentary proof):					
7	Validity of offer					
8	Delivery period					
9	Certificates provided along with supply (As per the specification document), Yes / No					
10	Deviation in specification ,if any					
I/We here by confirm that, I/We have not been blacklisted in the past by any Public Sector Undertakings/ Government organizations.						
Signature and Stamp						

# <u>अनुबंध ANNEXURE III – B</u>

## (KINDLY FILL THIS SHEET AND SUBMIT IN -COMMERCIAL/TECHNICAL BID)

Name of Bidder:			
Sr. No.	Commercial Clauses	Bidder Confirmation (Please put V in front of your confirmation)	
1	Whether bidder (a proprietary concern, Partnership Firm, Company) is currently on holiday list/black list/de-listed or has been put on holiday/blacklisted/de-listed at any PSU/govt. Organization. If so, give details.	☐ Yes, We are on holiday  List/Black List/De-List  ☐ No	
2i	Whether the party is registered under Micro/Small/Medium Enterprises act 2006 (Please furnish the proof)	□ Micro□ Medium □ Small□ No	
2-ii	Status of MSE Bidder	<ul><li>□ Manufacturer</li><li>□ Services</li><li>□ Not Applicable</li></ul>	
2-iii	Whether MSE bidder is offering product manufactured by him/her	□ Yes □ No	
3i	All MSE bidders shall register / declare their UAM Number on CPP Portal and copy of this registration / declaration shall be attached with the offer; failing which such bidders will not be able to enjoy benefits as per PP Policy for MSME order, 2012.  SSI/MSME/NSIC/UAM /DIC registration certificate	□ Mention UAM Number	
3-ii	Submitted valid document against clause no 3i	□ Submitted □ Not Applicable	
4i	Whether the proprietor of "MSME" enterprise is from SC/ST category (Please attach caste certificate issued by competent authority)	□ Yes □ No	
4ii	Whether the proprietor of "MSME" enterprise is woman (i.e. Woman proprietorship, or holding minimum 51% shares in case of Partnership/Private Limited Companies)	□ Yes □ No	
4iil	Submitted certificate against clause no 4ii	<ul><li>□ Submitted</li><li>□ Not Applicable</li></ul>	
5	AGREED TO ALL TERMS AND CONDITIONS OF ENQUIRY: It is hereby stated that the quotation/offer submitted is in full compliance with the documents issued against the enquiry and also further confirmed that there is no deviation from all the terms and conditions as per the enquiry.Non-acceptance or deviation to HOCL's standard terms and conditions mentioned in enquiry documents may lead to rejection of offer, no correspondence shall be done for clarifications	□ Agreed □ Not Agreed	
DATE:	SIGN AND STAMP OF BIDDER		

#### Annexure-III- C

	वाणिज्यिकअविधिप्रपत्रCOMMERCIAL TERM F	ORMAT-C			
ANNEXURE TO BE SUBMITTED ALONG WITH THE BID AGAINST TENDER NO					
	(KINDLY FILL AND SUBMIT ALONG WITH COMMERCIAL/TECHNICAL BID)				
NAME (	OF BIDDER:				
Sr.No.	COMMERCIAL CLAUSES	BIDDER CONFIRMATION (PLEASE PUT v )			
1	Please mention whether you are a Class-I/Class II Local	Class I			
	supplier.(Please see the definition given below)	Class II			
2	Specify the percentage (%) of local content.	%			
3	Details of location at which the local value addition is made.				
4	Mention whether the product offered is manufactured in India under a license from a foreign manufacturer who hold intellectual property rights and there is a technology collaboration agreement / Transfer of technology agreement	Yes / No			
SELF DECLARATION OF LOCAL CONTENT  We hereby declare that the percentage(%) of local content specified against mentioned against Sr.No.2 is%. We also understand that submitting False self-declarations and auditors will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a Bidder or its successors can be debarred for up to Two Years as per the Rule 151 (iii) of the General. Financial Rules along with such other actions as may be permissible under Law.					
Definitions Local Content: - The amount of value added in India(Total value of item procured minus the value of imported content in the item(including all customs duties) as a proportion of total value, in percentage.					
Class I Local Supplier: - Supplier or service provider whose goods, services or works offered for procurement has local content equal to or more than 50%.  Class II Local Supplier: - Supplier or service provider whose goods, services or works offered for procurement has local content more than 20% but less than 50 %.					
Purchas	se Preference: -Will be as per the applicable Government ord	er. SIGNATURE AND STAMP			
		MAINA LUNI AINIJ YLAIVIP			

**Annexure-IV** 

#### **BID SECURITY DECLARATION**

ANNEXURE TO BE SUBMITTED ALONG WITH THE BID AGAINST TENDER NO				
I/We	hereby declare that:			
1.	I will not revoke the tender within the stipulated period/ validity period OR increase the			
2.	quoted rates. I will commence the work on receipt of Purchase Order.			
3.	I will not withdraw or amend the tender or impair or derogate from the tender in any respect within the period of validity of the tender.			
4.	I will furnish the required performance security within the specified period.			
NAME A	AND ADDRESS OF THE BIDDER			
PLACE:				
DATE:				

SIGNATURE AND STAMP OF THE BIDDER

Annexure-V

REF: TENDER/RFQ No.: MAT/PUR/33230/24/SD77 dtd.10.02.2024

# COMPLIANCE TO CLAUSE W.R.T MANADATORY REGISTRATION OF VENDORS FROM COUNTRIES SHARING LAND BORDER WITH INDIA, WITH DPIIT

Date:

			Date.		
TO WHO	MSOEVER IT MAY CO	<u>NCERNS</u>			
"I have read The clause titled restrictions on procurement from a bidder of a country which shares a land border with India.					
I certify that M/sis not from such a country		(	Name Bidder)		
Or.					
I hereby	certify	that	M/s.		
Or					
I hereby certify that M/s					
We confirm that if it is established that we have provided any false information in pursuance to above clause, while competing for this contract then our Bid shall be rejected.					
We further confirms that, if it is established that we have not complied with terms of aforesaid clause, during execution of contract, this would be a sufficient ground for immediate termination of the contract as per tender provision and shall be dealt accordingly					
Stamp & Signature of the Bidder		Name of the	e Bidder		
The state of the block					

**Annexure-VI** 

#### **CHECKLIST**

The bidder should submit the following certificates / documents along with the technical bid. HOCL reserves the right to reject the technical bids without the following documents:

- 1. Eligibility criteria supporting documents as per Annexure I
- 2. Duly filled, signed and sealed copies of Annexure II (GTC), Annexure III A, B & C (Commercial terms).
- 3. Duly filled Duly filled, signed and sealed copies of Annexure IV Bid Security Declaration
- 4. Duly filled, signed and sealed copies of Annexure V compliance to clause w.r.t manadatory registration of vendors from countries sharing land border with india, with DPIIT
- 5. Technical Specification sheets duly signed and sealed
- 6. OEM / Authorization Certificates, If applicable
- 7. Deviation statement, if any

PLEASE NOTE THAT THE BIDDERS HAS TO ENSURE THAT THEY HAVE SUBMITTED ALL THE ABOVE DOCUMENTS FAILING WHICH THEIR QUOTATION SHALL BE REJECTED WITHOUT ANY FURTHER CLARIFICATIONS

Stamp & Signature of the Bidder

Name of the Bidder