

HINDUSTAN ORGANIC CHEMICALS LTD
(A Government of India Enterprise)
AMBALAMUGAL, COCHIN – 682 032
Phone: (0484) 2720911, FAX No. (0484) 2720893

LIMITED E- TENDER NOTICE

HOCL Invites e Bids under the two bid system for the following item.

Sl.No.	Description of item and Tender No.	Qty (Approx.)
1	Supply of Flanges and Caps as per attached RFQ No.6000020093/2318/80022 M HOCL tender ref : MAT/PUR/80022-M/18	As per attached RFQ

Tender documents may be downloaded from www.hoclindia.com or www.eprocure.gov.in

Approved vendors may please get registered with NIC e-procurement portal (URL: <https://eprocure.gov.in/eprocure/app>) to participate in the tender. Tenders submitted other than through online procedure specified will not be accepted. Please visit the above sites regularly for any addendum/ corrigendum/extension before submitting the offers.

DUE DATE/TIME: 27.11.2018 at 14.00 hrs

OPEN DATE/TIME: 28.11.2018 at 14.00 hrs

Soumya N K
Dy. Manager Materials

MAT/PUR/80022-M/18

12.11.2018

M/s.

Dear Sir,

Hindustan Organic Chemicals Ltd. is a Govt. of India Undertaking manufacturing Phenol, Acetone & Hydrogen Peroxide at its plant at Kochi, Kerala, India. HOCL invites Limited e tenders for supply **FIANGES & CAP** as per attached RFQ on two bid basis. Detailed specification is given in the tender documents. Please note that the material shall be delivered at our site before 28.02.2019. Offers with delivery period exceeding the above dates will not be considered.

Tender documents are uploaded in HOCL website www.hoclindia.com and www.eprocure.gov.in

The details of the tender are as shown in INDEX enclosed

You may submit your offer on two bid system online before the due date and time specified.

Closing Date of Tendor : 27.11.2018 at 2.00 Pm

Opening Date of Tender : 28.11.2018 at 2.00 pm

Thanking you,

Yours faithfully,
For Hindustan Organic Chemicals Ltd.

Soumya N K
Dy. Manager Materials

INDEX - TENDER NOTICE FOR FLANGES & CAPS

1	General instructions to the bidders for e bid submission	Annexure-I
2	Instructions to Bidders for online Bid Submission	Annexure II
3	Eligibility criteria for participating in the bid	Annexure-III
4	General Terms and conditions of the tender	Annexure-IV
5	Commercial Terms format	Annexure-V

ANNEXURE- I

GENERAL INSTRUCTIONS TO BIDDERS FOR E BID SUBMISSION

Please submit your e-bids under the two bid system conforming to the specifications and the terms and conditions attached as per instructions given below:-

1. HOCL has entered into an Agreement with nic for e procurement through their portal www.eprocure.gov.in. Quotations shall be submitted online on or before the due date and time of closing the tender. The Techno commercial bid containing the Technical specification of the Products and Proof of satisfactorily meeting the Eligibility Criteria and all commercial terms should be uploaded as per instructions given in Annexure. The Price bid should be submitted in the uploaded BOQ .
2. Techno commercial bid shall be opened electronically on specified date and time given in NIT. Bidders can witness the electronic opening of bid .The date and time of opening of the price bids will be intimated to the technically qualified bidders after evaluation of the Technical bids via email alerts through the valid email confirmed.
3. The bid shall contain as integral part of the same the following compliance statement: "We have read, understood and accepted the terms and conditions of purchase and related documents forming part of this enquiry and agree to supply the goods in compliance with the same."
4. The bids shall be neatly typed in English language with pages consecutively numbered and shall be signed on all pages by authorized persons. Bids shall be free from over writing and all corrections shall be duly attested by the bidder.
5. Bidders should carefully study the documents of this enquiry. All terms and conditions set out there in the enquiry shall be binding on the bidders unless conflicting with any terms and conditions expressly stated by HOCL while accepting any bid, in the event of such acceptance.
6. HOCL reserves the right, without assigning any reason whatsoever, to accept or reject any or all bids in part or in full or cancel this enquiry.
7. HOCL reserves the right to extend without giving any reason(s) the closing date/time of the enquiry.
8. Bids shall be valid for a minimum of 60 days from the due date for receipt and opening of the bids.
9. Specification of the Product : Specifications/catalogues/drawing of the product of shall be furnished along with the Technical Bid.
10. Purchase Preference to Central Public Sector Enterprises of Govt. Of India and MSMEs shall be as per Govt. of India policy in vogue.

Instructions for Online Submission

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app>.

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link "**Online bidder Enrollment**" on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.

3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.

2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

Note: *My Documents space is only a repository given to the Bidders to ease the uploading process. If Bidder has uploaded his Documents in My Documents space, this does not automatically ensure these Documents being part of Technical Bid.*

SUBMISSION OF BIDS

1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.

2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.

3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.

4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.

5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to

be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

6) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

7) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

8) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.

9) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.

2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

Eligibility criteria for participating in the bid.

Offers of bidders who satisfy the following Eligibility Criteria only will be considered .

1. Material shall reach our site before 28.2.2019. For pre fabrication works ,the fittings have to reach HOCL site at the earliest. Hence vendors are requested to quote their minimum delivery period. **Offers with longer delivery period will not be considered.**
2. Vendor shall confirm submission of Material test certificate Guarantee Certificate & IBR certificates in original for IBR items alongwith supply of material.
3. Vendor shall submit the RFQ specification provided by HOCL duly signed and stamped with the tender as a token of acceptance. Any deviation may please be mentioned in the deviation statement. No deviation will be allowed after placement of order.
4. Vendor shall submit Security deposit within the stipulated time after placement of order.

ANNEXURE-IV

GENERAL CONDITIONS OF TENDER MAT/PUR/80022-M/18

1.VALIDITY OF OFFER : Offer shall be valid for a minimum period of 60 days from the last date of submission stipulated for the tender.

2.SUBMISSION OF BIDS : Bids shall be uploaded on two bid system as per the instructions given in Annexure I.

3.QUANTITY : Quantity given in the tender is based an estimate on maintenance work and actual quantity on order may vary slightly on either side.

4. Security Deposit: Successful bidder will have to pay a Security deposit of 5% of the order value towards satisfactory performance of the contract. SD has to be submitted by way of Bank Guarantee from a Scheduled bank within 21 days of placement of Order. SD will be forfeited in the event of any breach of contract by the supplier. SD will be refunded to the contractor within 60 days of completion of contract. PSU s are exempted from payment of Security Deposit.

5. RIGHT TO REJECT A BID : HOCL reserves the right to reject any bid due to reasons such as (a) Vendor not following above bidding procedures (b) Vendor not being technically acceptable to HOCL (c) Vendor not agreeing with the general conditions of the tender. (e) Not enclosing any particular documents asked for (f) Any other valid reason.

6. PRICE:Vendors to quote the prices on FOR destination basis.

7.PAYMENT TERMS: Payment shall be released by HOCL within 30 days of receipt and acceptance of the material at HOCL site

8. INSURANCE : HOCL shall arrange the transit insurance for the materials.. However, the vendor shall promptly inform HOCL regarding despatches for arranging insurance.

9.SUPPLY SCHEDULE: Material shall be delivered at our site by the delivery date indicated in the Purchase Order .

10.RIGHT TO PROCURE FROM ALTERNATIVE SOURCE : In the event of non-supply by the vendor on whom purchase order is placed, HOCL reserves the right to procure material of same quality from an alternative source at the cost and risk of the Vendor.

11.OPENING OF BIDS : Techno commercial bids will be opened electronically **at 2.00 pm on 28.11.2018**, after evaluation of the techno commercial bids, will subsequently inform all those technically acceptable vendors regarding the date and time of opening of the price bids.

12. PURCHASE/PRICE PREFERENCE: Purchase /Price Preference or any other concessions applicable for SSI Units /PSUs will be as per latest Government Of India Directives. For availing this benefit, the bidder should make their claim in the Technical Bids itself and enclose necessary documentary evidence to prove their eligibility.

.....

ANNEXURE V

COMMERCIAL TERM FORMAT
(To be printed on your letter head& uploaded)

(Please fill up the details mentioned below in your letter head and upload alongwith your bid)

Name and Address of Organization :

Phone & Fax No :

GSTIN :

e-mail id for correspondence :

Contact Person Name and Mobile No:

Payment Term offered.

Terms of delivery offered from the date of placement of order :

P&F if any :

Freight Charges if any :

Validity of offer :

Delivery period offered from the date of placement of order.:

Taxes Applicable :

Submission of security deposit.

Certificates provided alongwith supply.

Deviation in specification if any

Signature and Stamp



आई एस ओ 9001-2008 & आई एस ओ 14001 यूनिट
AN ISO 9001:2008 & ISO 14001 UNIT

टेलीफोन (एरणाकुलम) 2720911- 14, 2720844 - 45, 2721040 - 43.
फॉक्स : (0484) 2720893.
ईमेल : hoclchin@md2.vsnl.net.in वेब : www.hoclkochi.com
Phone (Ernakulam) 2720911- 14, 2720844 - 45, 2721040 - 43.
Fax : (0484) 2720893.
e-mail : hoclchin@md2.vsnl.net.in Web : www.hoclkochi.com

हिन्दुस्तान ऑर्गेनिक केमिकल्स लिमिटेड
(भारत सरकार का उद्यम)

HINDUSTAN ORGANIC CHEMICALS LIMITED

(A Govt. of India Enterprise)

अंबलमुगल : Ambalamugal - 682 302

एरणाकुलम जिला : Ernakulam Dist. केरल : Kerala भारत : India

REQUEST FOR QUOTATION

RFQ NO. 6000020093/2318/80022 M

RFQ DATE : 12.11.2018

Due Date/Time : 27.11.2018 / 14:00

Open Date/Time: 28.11.2018 / 14:00

HOCL GSTIN : 32AAACH2663P1ZG

Dear Sirs,

We shall be grateful to receive your quotation in duplicate for the supply of the under mentioned articles subject to our standard terms and conditions attached herewith. Quotations indicating price, terms of delivery, detailed specification, relevant drawings, pamphlet and literature wherever applicable shall reach us on or before the due date and time stipulated above.

Kindly provide your GSTIN, HSN Code of goods and rate of GST % for all items.

SL. No.	Material Description	Unit	Qty.
1	57200117 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE CS SWRF 15X150# (1/2X150#)	Numbers	20
2	57200130 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE CS SWRF 15X600# CS[1/2X600] A105	Numbers	10
3	57200142 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE CS SWRF 15X900# [1/2X900] A105	Numbers	5
4	57200300 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 20X150# CS SWRF A105[3/4X150]	Numbers	5
5	57200439 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 25X150# CS SWRF (A105) SW[1X150]	Numbers	50
6	57200567 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 25X300# CS SWRF SCH80[1X300#]	Numbers	25
7	57200912 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5	Numbers	50

SL. No.	Material Description	Unit	Qty.
	FLANGE 40X150# CS A105 SWRF[11/2X150#]		
8	57200920 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 40X300# CS SWRF[11/2X300#]	Numbers	20
9	57201110 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 2X150# CS SWRF[50X150]	Numbers	40
10	57201146 CS SOKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 2X300# CS SWRF[50X300#]	Numbers	30
11	57201432 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 3X150# CS SWRF[80X150]	Numbers	30
12	57201535 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 3X300# CS SWRF A105[80X300#]	Numbers	20
13	57201730 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 4X150# CS SWRF A105[100X150#]	Numbers	90
14	57201663 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 4X300# CS SWRF[100X300#]	Numbers	30
15	57201894 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 6X150# CS[150X150#]SWRF	Numbers	20
16	57201973 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 6X300# CS SWRF A105[150X300#]	Numbers	15
17	57202047 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 8"X150# CS SWRF A105	Numbers	10
18	57202096 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 8X300# CS SWRF[200X300#]	Numbers	6
19	57201754 CS SLIP ON RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 100X150# CS SORF ASTM A105[4X150#]	Numbers	10
20	57209731 CS SLIP ON RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE CS SORF 8"X150#[200X150#]	Numbers	10
21	57202163 CS SLIP ON RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5	Numbers	10

SL. No.	Material Description	Unit	Qty.
	FLANGE 250X150# CS SORF A105[10X150#]		
22	57209271 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE CS SWRF IBR 1/2X150#[15X150] A105 IBR	Numbers	10
23	57200210 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE CS SWRF IBR 3/4X150# CS (A181)[20X150#]	Numbers	10
24	57200531 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 25X150# CS IBR SWRF(A181 GR60) SCH 80[1X150]	Numbers	10
25	57200579 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE CS 25X300# IBR SWRF SCH80 A105[1X300#]	Numbers	30
26	57200786 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 11/2X150# CS IBR SWRF SCH 80[40X150#]	Numbers	10
27	57200907 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 11/2X300# CS SWRF SCH 80[40X300#]IBR	Numbers	20
28	57201122 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 50X150# CS IBR SWRF[2X150]	Numbers	10
29	57201158 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 50X300# CS IBR SWRF[2X300#]	Numbers	10
30	57201549 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 80X150# CS IBR SWRF ASTM A105 GR.II[3X150]	Numbers	10
31	57201750 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 4X150# CS IBR ASTM A105[100X150#]	Numbers	10
32	57202000 CS SLIP ON RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 150X150# CS IBR SORF[6X150#]	Numbers	10
33	57202011 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 150X300# CS IBR SORF/SWRF A105[6X300#]	Numbers	15
34	57201195 CS SLIP ON RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE FCS SORF IBR 50X300#[2X300]	Numbers	10
35	57202035 CS SLIP ON RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade	Numbers	5

SL. No.	Material Description	Unit	Qty.
	FLANGE 200X150# CS IBR FCS SORF[8X150#]		
36	57201547 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 80X300# CS IBR SORF/SWRF ASTM A105[3X300#]	Numbers	2
37	57201791 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 100X300# CS FCS SORF/SWRF IBR[4X300#]	Numbers	2
38	57200338 CS SOCKET WELD RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE CS 3/4X300# IBR SWRF ASTM A105[20X300#]	Numbers	10
39	57207239 CS WELD NECK RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 65X300# FCS WNRF IBR SCH80[21/2X300#]	Numbers	20
40	57208165 CS WELD NECK RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5-----IBR grade FLANGE 200X300# SCH40CS IBR WNRF[8X300]	Numbers	2
41	57207744 CS WELD NECK RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE 100X150# CS (A350) WNRF[4X150#]	Numbers	8
42	57249702 SS WELD NECK RAISED FACE SERRATED FLANGE CONFIRMS TO ASTM A105 AND DRILLED TO B16.5 FLANGE WNRF 11/2X150#[40X150] SS316	Numbers	4
43	57686373 SS CAP CONFORMS TO A182 F 316 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 CAP 1/2X3000# SS316 NPT[15X3000#]	Numbers	50
44	57686464 SS CAP CONFORMS TO A182 F 316 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 CAP 3/4X3000# SS316[20X3000#] SCH 40 THD	Numbers	50
45	57686511 SS CAP CONFORMS TO A182 F 316 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 CAP 1X3000#[25X3000] SS THREADED A 3000LBS SCH 40	Numbers	50
46	57684340 CS PLUGS CONFORMS TO A105 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 PLUG 1/2" 3000 #1/2" 3000 #	Numbers	50
47	57684418 CS PLUGS CONFORMS TO A105 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 PLUG 20X3000# CS A105 THRD	Numbers	30
48	57684546 CS PLUGS CONFORMS TO A105 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 PLUG CS A105[25X6000# NPT SCRD] 1X6000	Numbers	30
49	57684637 CS PLUGS CONFORMS TO A105 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1	Numbers	2

SL. No.	Material Description	Unit	Qty.
	PLUG CS SQARE 40X6000#[11/2X6000#]		
50	57684364 CS CAPS CONFORMS TO A105 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 CAP 1/2X3000# CS SCREWED NPT[15X3000#]	Numbers	40
51	57682397 CS CAPS CONFORMS TO A105 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 CAP CS 3/4X6000#[SCRED ENDS]	Numbers	2
52	57684560 CS CAPS CONFORMS TO A105 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 CAP 1X3000# A105 SCRD[25X3000#]CS	Numbers	30
53	57684662 CS CAPS CONFORMS TO A105 AND DIMENSIONAL STD B16.11, THREDED ENDS TO ANSI B 1.20.1 CAP 40X3000# CS[11/2X3000#] SCRED ENDS	Numbers	10

NOTE :MATERIAL TEST CERTIFICATE, GUARANTEE CERTIFICATE & IBR CERTIFICATE
IN ORIGINAL TO BE PROVIDED ALONG WITH SUPPLY.

FOR HINDUSTAN ORGANIC CHEMICALS LIMITED

(SOUMYA N.K.)
DY.MANAGER(MATERIALS)