

हिंदुस्तान ऑर्गेनिक केमिकल्स लिमिटेड HINDUSTAN ORGANIC CHEMICALS LTD (भारत सरकार का उद्यम A Government of India Enterprise) अंबलमुगल,कोची AMBALAMUGAL, COCHIN – 682 302 दूरभाष Phone: (0484) 2720911, फ़्रैक्स FAX No. (0484) 2720893

सीमित ई निविदा सूचना LIMITED E- TENDER NOTICE

DATE: 01.03.2024

एचओसीएल निम्नलिखित मदों की आपूर्ति के लिए एकल बोली के अधीन ई बोली आमंत्रित करती है। HOCL Invites e Bids under single bid system for the supply of following item.

क्रमांक	मद के विवरण और निविदा सं	मात्रा (लगभग)
SI.No.	Description of item and Tender No.	Qty (Approx)
1	Supply of Safety Items HOCL Tender Ref : MAT/PUR/42138/24/SD	AS PER BOQ

निविदा दस्तावेज़ <u>www.hoclindia.com</u> या <u>www.eprocure.gov.in</u> से डाउनलोड कर सकता है। Tender documents may be downloaded from <u>www.hoclindia.com</u> or <u>www.eprocure.gov.in</u>

अनुमोदित विक्रेता निविदा में भाग लेने के लिए एनआईसी ई प्रोक्योरमेंट पोर्टल (यूआरएल : <u>https:/eprocure.gov.in/eprocure/app</u>) में पंजीकृत करें। निर्धारित ऑनलाइन प्रक्रिया से भिन्न अन्य माध्यम से प्रस्तुत निविदाएँ स्वीकार नहीं किया जाएगा। कृपया अपना प्रस्ताव प्रस्तुत करने से पहले किसी जोड़/शुद्धिपत्र/विस्तार के लिए उपरोक्त वेबसाइट नियमित रूप से देखें।

Approved vendors may please get registered with NIC e-procurement portal (URL:

<u>https:/eprocure.gov.in/eprocure/app</u>) to participate in the tender. Tenders submitted other than through online procedure specified will not be accepted. Please visit the above sites regularly for any addendum/ corrigendum/extension before submitting the offers.

निविदा की अंतिम तिथि Closing Date of Tender : 08.03.2024 at 2.00 PM निविदा खोलने की तिथि Opening Date of Tender : 09.03.2024 at 2.00 PM

बयाना जमा धनराशि EARNEST MONEY DEPOSIT (EMD) - शून्य NIL

धन्यवादThanking you, भवदीयYours Faithfully,

कृतेहिंदुस्तानऑर्गेनिककेमिकल्सलिमिटेड For Hindustan Organic Chemicals Limited (GSTIN: 32AAACH2663P1ZG)

B.BALACHANDRAN GM (MATERIALS)

eProc	urer	nen	t		Ten	ler Details				
2 100.30	ster							D	ate : 01-Mar-2024	4 05:44
मेव जन्मने										📇 Pri
Basic Details										
Organisation Cha	ain	Hindust	an Organic Cł	nemica	ls Limited	Materials Department	- Hocl			
Tender Reference MAT/PUR/42138/24 Number MAT/PUR/42138/24										
ender ID		2024_H	OCL_798421_	1	V	/ithdrawal Allowed		Yes		
ender Type		Limited			F	orm of contract		Supply		
ender Category	,	Goods			N	o. of Covers		1		
eneral Technica valuation Allow		No				temWise Technical valuation Allowed		No		
ayment Mode		Not App	licable			s Multi Currency Allo OQ	wed For	No		
s Multi Currency Ilowed For Fee	/	No				llow Two Stage Bidd	ing	No		
	I				1					
<u>Cover Details,</u> Cover No	<u>, No. C</u> Cover		<u>ers - 1</u>		Do	cument Type			Description	
									Submit the detail	ilod
1 Fee/Pr		PreQual/Technical/Finance .p			.pdf	.pdf			product catalog of offered Make, Model of each items and mentioned certificates	
	_								Tender terms ar	
		.pdf			lf			conditions duly signed and stamped. Deviation if any, please indicate		
					.pdf			Commercial term Form in your Letter head as per the formats given i Annexure		
					.pdf	-			Bid security decl and compliance filled , signed an stamped as per Annexure	formdu
					.xls				BOQ	
ender Fee D	etails,	[Tota	l Fee in ₹	* - 0.	.001	EMD Fee Detail	<u>s</u>			
ender Fee in ₹	0.0	_				EMD Amount in ₹	0.00	EM	D through	No
ee Payable To	Nil		Fee Payable	e At	Nil			Exe	/ST or EMD emption owed	
ender Fee Exemption	No					EMD Fee Type	fixed		Dived DiPercentage	NA
Allowed						EMD Payable To	Nil		D Payable At	Nil
								Click	to view modificat	ion hist
<u>Vork / Item(s</u>	-									
itle	ł		R FOR THE SU							
Vork Description			R FOR THE SU			Y ITEMS				
re Qualification		Please r	efer Tender o	locume	ents.					

Address Address Address Should Allow NDA Tender No Allow Preferential Bidder No No Critical Dates O1-Mar-2024 06:00 PM Bid Opening Date 09-Mar-202 Document Download / Sale Start Date 01-Mar-2024 06:15 PM Document Download / Sale End Date 08-Mar-202 Clarification Start Date NA Clarification End Date NA Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents Na Clarification End Date NA Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents Na Description Size Size NIT Document S.No Document Name Description Size 1 Tendernotice_1.pdf Notice inviting tender Size Description Size	
Contract Type Tender Bid Validity(Days) 30 Period Of Work(Days) 7 Location HOCL, AMBALAMUGAL Pincode 682302 Pre Bid Meeting Place NA Pre Bid Meeting Address NA Pre Bid Meeting Date NA Bid Opening Place HOCL, AMBALAMUGAL Should Allow NDA Tender NA Pre Bid Meeting Date NA Bid Opening Place HOCL, AMB Should Allow NDA Tender No Allow Preferential Bidder No No Bid Opening Date 09-Mar-202 Critical Dates 01-Mar-2024 06:00 PM Bid Opening Date 09-Mar-202 08-Mar-202 Document Download / Sale Start 01-Mar-2024 06:15 PM Document Download / Sale End Date 08-Mar-202 Clarification Start Date NA Clarification End Date NA Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 S.No Document Name Description Size 1 Tendernotice_1.pdf Notice inviting tender Image: Size Document Nork Item Documents S.No Document Type Document Name Description Siz	
Location HOCL, AMBALAMUGAL Pincode 682302 Pre Bid Meeting Place NA Pre Bid Meeting Address NA Pre Bid Meeting Date NA Bid Opening Place HO AM Should Allow NDA Tender No Allow Preferential Bidder No No Bid Opening Date 09-Mar-202 Critical Dates 01-Mar-2024 06:00 PM Bid Opening Date 09-Mar-202 08-Mar-202 Document Download / Sale Start Date 01-Mar-2024 06:15 PM Document Download / Sale End Date 08-Mar-202 Clarification Start Date NA Clarification End Date NA Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 MIT Document Name Description Size Size Mork Item Document S.No Document Type Document Name Description Size 1 Tender Documents TERMS.pdf	
AMBÁLAMUGAL Pre Bid Meeting Date NA Bid Opening Place HO Address NA No Allow Preferential Bidder No Bid Opening Place HO Should Allow NDA Tender No Allow Preferential Bidder No No Allow Preferential Bidder No Critical Dates 01-Mar-2024 06:00 PM Bid Opening Date 09-Mar-202 Document Download / Sale Start 01-Mar-2024 06:15 PM Document Download / Sale End Date 08-Mar-202 Date 01-Mar-2024 06:30 PM Bid Submission End Date NA Bid Submission End Date NA Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date NA O8-Mar-202 Tender Documents 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 More 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents No Description Size Size MIT Document Name Description Size Size Mork Item S.No Document Type Document Name Description Size I Tender Documents <	
Address Addres Address Address	
Bidder Critical Dates Publish Date 01-Mar-2024 06:00 PM Bid Opening Date 09-Mar-202 Document Download / Sale Start 01-Mar-2024 06:15 PM Document Download / Sale End Date 08-Mar-202 Clarification Start Date NA Clarification End Date NA Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents NIT Document S.No Document Name Description Dos Siz Work Item Documents S.No Document Type Document Name Description Dos Siz 1 Tender Documents TERMS.pdf TENDER TERMS AND CONDITIONS Siz	icl, Ibalamugal
Publish Date 01-Mar-2024 06:00 PM Bid Opening Date 09-Mar-202 Document Download / Sale Start Date 01-Mar-2024 06:15 PM Document Download / Sale End Date 08-Mar-202 Clarification Start Date NA Clarification End Date NA Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents NIT Document S.No Document Name Description Do Siz 1 Tendernotice_1.pdf Notice inviting tender Do Do Work Item Documents S.No Document Type Document Name Description Do 1 Tender Documents TERMS.pdf TENDER TERMS AND CONDITIONS Do Do	
Publish Date 01-Mar-2024 06:00 PM Bid Opening Date 09-Mar-202 Document Download / Sale Start Date 01-Mar-2024 06:15 PM Document Download / Sale End Date 08-Mar-202 Clarification Start Date NA Clarification End Date NA Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents NIT Document S.No Document Name Description Documenter 1 Tendernotice_1.pdf Notice inviting tender Document Document Work Item Documents S.No Document Type Document Name Description Document 1 Tender Documents TERMS.pdf TENDER TERMS AND CONDITIONS Document Document	
Date Date Clarification Start Date NA Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents NIT S.No Document S.No 1 Tendernotice_1.pdf Notice inviting tender Size 1 Tender Documents S.No Document Type Document Name Description S.No Document Type I Tender Documents	4 02:00 PM
Bid Submission Start Date 01-Mar-2024 06:30 PM Bid Submission End Date 08-Mar-202 Tender Documents NIT Document Description Document	4 02:00 PM
Tender Documents NIT Document S.No Document Name Description Do Siz 1 Tendernotice_1.pdf Notice inviting tender Image: Colspan="2">Image: Colspan="2" Image: Colsp	
NIT Document Description Do 1 Tendernotice_1.pdf Notice inviting tender Image: Size of the second s	4 02:00 PM
Work Item Documents S.No Document Type Document Name Description Document Size 1 Tender Documents TERMS.pdf TENDER TERMS AND CONDITIONS TERMS.pdf	cument e (in KB)
Documents S.No Document Type Document Name Description Document 1 Tender Documents TERMS.pdf TENDER TERMS AND CONDITIONS TENDER TERMS AND CONDITIONS TERMS.pdf	133.1
1 Tender Documents TERMS.pdf CONDITIONS	
2 BOQ BOQ_839276.xls BOQ	ocument ze (in KB)
Limited Bidders List	ze (in KB)
S.No. Bidder Name Bidder Login Id	z e (in KB) 360.6
1. CINQUE SOLUTIONS PVT. LTD. mumbai@cinquesolutions.com	z e (in KB) 360.6
2. Cochin Fire Tech cochinfiretech@yahoo.com	z e (in KB) 360.6
3. FRANCIS LESLIE AND CO PVT LTD h.vaz@francisleslie.com	z e (in KB) 360.6

<u>Auto Ext</u> Iteration	tension Corrigendum Properties for Tender No. of bids required for bid opening a tender	Tender gets extended to No. of days
Auto Ext	ension Corrigendum Properties for Tender	
12.		urchand@uncarcman.com
12.	Unicare Emergency Equipment Pvt Ltd	archana@unicaremail.com
11.	SYSTEM 5S Private Limited	sales@system5s.com
10.	SURE SAFETY (INDIA) PVT. LTD.	info@suresafety.com
9.	SAFE INDUSTRIAL AND MARINE STORES	safeindustrialmarine@gmail.com
8.	powermech controls & safety	powermechkochi@gmail.com
	KAVERISAFETY TECHNOLOGIES	kaverisafety@yahoo.com
7.		

info@geofranc.net

csm@josephleslie.com

hindustan.trading@gmail.com

4.

5.

6.

Geofranc Enterprises

HINDUSTAN TRADING CORPORATION

Joseph Leslie And Company LLP

S.No	Bid Opener Login Id			Bid Opener Name			Certificate Name	
1.	rajanknairh	loc@gmail.com		RAJAN K			RAJAN K	
2.	b.balachano	dran@hoclin	dia.com	BALACHANDRAN B BALACHANDR		BALACHANDRAN BALAKRISHNANI		
3.	sk.mitharwa	al@hoclindia	.com	SURENDRAKU	MAR MI	ITHARWAL	Surendra Kumar	Mitharwa
GeMARI	TS Details							
Reason fo GeMARPT	or non availat S ID	oility of	Urgent nature of P	rocurement				
Remarks						the upcoming shutdo under limited tender t		
Documen	t Name		EXEMP.pdf					
Documen	t Size (in KB)		19.76					
Tender	Properties							
Auto Teno Process a	-	No				Show Technical bi	d status	Yes
Show Fina status	Show Finance bid Yes				Show Bids Details			No
BoQ Compa model	rative Chart	Normal				BoQ Compartive char	t decimal places	2
BoQ Compa Rank Type	rative Chart	L				Form Based BoQ		No
Show Bid D Domain sta	etails in Public ge	Technical B	id Opening					
<u>TIA Und</u>	<u>ertaking</u>							
	ertaking to Ord		Tender complyi	ing with Order		son for non compliand	e of Order	
	MII Order 2017	,	Agree			REED		
2 MSE	s Order 2012		Agree		AGR	REED		
Tender	Inviting Au	thority						
Name		GM MATER	IALS					
Address			BALAMUGAL, ERNA	KULAM, KERALA-	682302	2		

Tender creator betails						
Created By	BALACHANDRAN B					
Designation	GM (MATERIALS)					
Created Date	01-Mar-2024 04:26 PM					



हिंदुस्तानऑर्गेनिककेमिकल्सलिमिटेड HINDUSTAN ORGANIC CHEMICALS LTD (भारतसरकारकाउद्यमA Government of India Enterprise) अंबलमुगल,कोचीAMBALAMUGAL, COCHIN – 682 302 दूरभाषPhone: (0484) 2720911, www.hoclindia.com

सामग्रीMAT/क्रयPUR/42138/24/SD

01.03.2024

सर्वश्रीM/s.

प्रियमहोदयDear Sir,

हिंदुस्तान ऑर्गेनिक केमिकल्स लिमिटेड एक सरकारी कंपनी है। भारत सरकार कोच्चि, केरल, भारत में अपने संयंत्र में फिनोल, एसीटोन और हाइड्रोजन पेरोक्साइड का निर्माण कर रही है। एचओसीएल <mark>सुरक्षा वस्तुओं की</mark> <mark>आपूर्ति</mark> के लिए ई-निविदा आमंत्रित करता है।

Hindustan Organic Chemicals Ltd. is a Govt. of India Undertaking manufacturing Phenol, Acetone & Hydrogen Peroxide at its plant at Kochi, Kerala, India. HOCL invites e tenders for **Supply of Safety** Items.

निविदादस्तावेज़एचओसीएलनिम्नवेबसाइटोंमेंअपलोडकियागयाहै।

Tender documents are uploaded in HOCL website <u>www.hoclindia.com</u> and <u>www.eprocure.gov.in</u>

निविदाकेविवरणअनुक्रमणिकाकेअनुसारसंलग्नहै The details of the tender are as shown in INDEX enclosed आपअपनाप्रस्तावदेयतिथिऔरनियतसमयकेपहलेऑनलाइनद्वाराप्रस्तुतकरें।

You may submit your offer online before the due date and time specified

EMD- NIL

निविदाकीअंतिमतिथि Closing Date of Tender : 08.03.2024 at 2.00 PM निविदाखोलनेकीतिथि Opening Date of Tender : 09.03.2024 at 2.00 PM

धन्यवादThanking you, भवदीयYours Faithfully,

कृतेहिंदुस्तानऑर्गेनिककेमिकल्सलिमिटेड For Hindustan Organic Chemicals Limited (GSTIN: 32AAACH2663P1ZG)

B.BALACHANDRAN GM (MATERIALS)

<u>अनुक्रमणिका - INDEX - SAFETY ITEMS</u>

1	Instructions to Bidders for online Bid Submission	Annexure I
2	General Instructions	Annexure-II
3	Specification	Annexure-III
4	General Terms and conditions of the tender	Annexure-IV
5	Commercial Terms format –A,B,C	Annexure-V-A,B,C
6	Bid Security Declaration	Annexure-VI
7	Compliance To Clause W.R.T Mandatory Registration Of Vendors From Countries Sharing Land Border With India, With DPIIT	Annexure-VII

<u>Annexure-I</u>

<u>ऑनलाइनप्रस्तुतीकरणकेलिएअनुदेश Instructions for Online Submission</u>

बोलीदाताओंकोअपनीबोलियोंकीसॉफ्टप्रतियाँमान्यडिजिटलसिग्नेचरसर्टिफिकेटकाउपयोगकरकेसीपीपीपोर्टलपरइलेक्ट्रॉ निकमाध्यमसेजमाकरनीहै।नीचेदिएगएनिर्देशसीपीपीपोर्टलपरपंजीकरणकरनेमेंबोलीलगानेवालोंकीसहायताकरने,उन कीबोलियोंकोआवश्यकताओंकेअनुसारतैयारकरनेऔरअपनीबोलियोंकोसीपीपीपोर्टलपरऑनलाइनजमाकरनेकेलिएहैं। The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

सीपीपीपोर्टलपरऑनलाइनबोलियांप्रस्तुतकरनेकेलिएउपयोगीजानकारी:

https://eprocure.gov.in/eprocure/app परप्राप्तकीजासकतीहै।

information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

पंजीकरणREGISTRATION

 बोलीदाताओंकोसीपीपीपोर्टलपर"ऑनलाइनबोलीनामांकन"लिंकपरक्लिककरकेकेंद्रीयसार्वजनिकखरीदपोर्ट लकेई-प्रोक्योरमेंटमॉड्यूल)

<u>https://eprocure.gov.in/eprocure/app</u>)परनामांकनकरनाआवश्यकहैजोनि :शुल्कहै।

Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrollment" on the CPP Portal which is free of charge.

- नामांकनप्रक्रियाकेभागकेरूपमें, बोलीदाताओंकोएकविशिष्टउपयोगकर्तानामचुननाहोगाऔरउनकेखातोंकेलिएएकपासवर्डनिर्दिष्टकरनाहोगा। As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- बोलीदाताओंकोसलाहदीजातीहैकिवेपंजीकरणप्रक्रियाकेरूपमेंअपनावैधईमेलपताऔरमोबाइलनंबरपंजीकृतक रें।इनकाउपयोगसीपीपीपोर्टलकेकिसीभीसंचारकेलिएकियाजाएगा।
 Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- नामांकनकेबाद, बोलीदाताओंकोअपनेप्रोफाइलकेसाथसीसीएइंडिया(जैसेSify / nCode / eMudhraआदि) द्वारामान्यताप्राप्तकिसीभीप्रमाणनप्राधिकरणद्वाराजारीकिएगएवैधडिजिटलहस्ताक्षरप्रमाणपत्र) डीएससी ()मुख्यउपयोगपरहस्ताक्षरकरनेकेसाथकक्षा॥ प्रमाणपत्र (कोपंजीकृतकरनेकीआवश्यकताहोगी। Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5. बोलीदाताद्वाराकेवलएकवैधडीएससीकोपंजीकृतकरनाचाहिए।कृपयाध्यानदेंकिबोलीदातायहसुनिश्चितकरने केलिएज़िम्मेदारहैंकिवेअपनेडीएससीकोदूसरोंकोउधारनदें, जिससेइसकादुरुपयोगहोसकताहै। Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse

 बोलीदातातबअपनीयूजरआईडी / पासवर्डऔरडीएससी / ई-टोकनकेपासवर्डकोदर्जकरकेसुरक्षितलॉग-इनकेमाध्यमसेसाइटपरजासकताहै।

Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

निविदादस्तावेजोंकेलिएखोज SEARCHING FOR TENDER DOCUMENTS

1 सीपीपीपोर्टलमेंविभिन्नखोजविकल्पबनाएगएहैं, जिससेबोलीदाताओंकोकईमापदंडोंद्वारासक्रियनिविदाएंखोजनेमेंसुविधाहो।इनमापदंडोंमेंटेंडरआईडी, संगठनकानाम, स्थान, दिनांक, मूल्यआदिशामिलहोसकतेहैं।निविदाओंकेलिएउन्नतखोजकाएकविकल्पभीहै, जिसमेंबोलीदातासीपीपीपोर्टलपरप्रकाशितनिविदाकेलिएखोजकरनेकेलिएकईखोजमापदंडोंजैसेकिसंगठनका नाम, अनुबंधकाप्रारूप, स्थान,दिनांक, अन्यकीवर्डआदिजोड़सकतेहैं।

There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.

2 एकबारबोलीदाताओंनेउननिविदाओंकाचयनकरलियाहैजिनमेंवेरुचिरखतेहैं, वेआवश्यकदस्तावेज / निविदाकार्यक्रमडाउनलोडकरसकतेहैं।इननिविदाओंकोसंबंधित "मइटेंडर"'फ़ोल्डरमेंलेजायाजासकताहै।यहसीपीपीपोर्टलकोएसएमएस / ई-मेलकेमाध्यमसेबोलीलगानेवालोंकोयदिनिविदादस्तावेजमेंकोईभीशुद्धिपत्रजारीकियागया,सूचितकरनेमेंसक्ष मकरेगा।

Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.

3 बोलीदाताकोप्रत्येकनिविदाकोसौंपीगईअद्वितीयनिविदाआईडीकोनोटकरनाचाहिए, यदिवेहेल्पडेस्कसेकोईस्पष्टीकरण / सहायताप्राप्तकरनाचाहतेहैं।

The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

बोलीकीतैयारी PREPARATION OF BIDS

 बोलीदाताकोअपनीबोलियांजमाकरनेसेपहलेनिविदादस्तावेजपरप्रकाशितकिसीभीशुद्धिपत्रपरविचारकरना चाहिए।

Bidder should take into account any corrigendum published on the tender document before submitting their bids.

 बोलीकेसाथप्रस्तुतकिएजानेवालेआवश्यकदस्तावेजोंकोसमझनेकेलिएकृपयानिविदाविज्ञापनऔरनिविदादस्ता वेजकोध्यानसेपढ़े।कृपयाउनकवरोंकीसंख्यापरध्यानदेंजिनमेंबोलीदस्तावेजजमाकरनेहैं, दस्तावेजोंकीसंख्या -प्रत्येकदस्तावेजकेनामऔरसामग्रीसहितजिन्हेंप्रस्तुतकरनेकीआवश्यकताहै।इनमेंसेकिसीभीविचलनसेबोलीकी अस्वीकृतिहोसकतीहै।

Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

पहलेहीनिविदादस्तावेज /

3. बोलीदाताको,

अनुसूचीमेंदर्शाएअनुसारप्रस्तुतकिएजानेवालेबोलीदस्तावेजतैयारकरनाचाहिएऔरआमतौरपर, वेपीडीएफ/एक्सएलएस/आरएआर/डीडब्ल्यूएफ /

जेपीजीप्रारूपोंमेंहोसकतेहैं।बोलीदस्तावेजोंकोकालेऔरसफेदविकल्पकेसाथ100डीपीआईकेसाथस्कैनकियाजा सकताहैजोस्कैनकिएगएदस्तावेज़केआकारकोकमकरनेमेंमददकरताहै।

Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

 मानकदस्तावेजोंजिनकोप्रत्येकबोलीकेसाथप्रस्तुतकरनेकीआवश्यकताहोतीहै,केएकजैसेसेटकोअपलोडकरनेमेंल गनेवालेसमयऔरप्रयाससेबचनेकेलिए, ऐसेमानकदस्तावेजों) जैसेपैनकार्डप्रति, वार्षिकरिपोर्ट, लेखापरीक्षाप्रमाणपत्रआदि (

कोअपलोडकरनेकाप्रावधानबोलीदाताओंकोप्रदानकियागयाहै।बोलीदाताइसतरहकेदस्तावेज़अपलोडकरनेके लिएउनकोउपलब्ध" मेरास्थान "या'अन्यमहत्वपूर्णदस्तावेज़' स्थानकाउपयोगकरसकतेहैं।येदस्तावेज़सीधेबोलीलगातेसमय" मेरास्थान "सेप्रस्तुतकियाजासकताहै, औरबार-

बारअपलोडकरनेकीआवश्यकतानहींहै।इससेबोलीप्रस्तुतकरनेकीप्रक्रियाकेलिएआवश्यकसमयमेंकमीआएगी। To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

नोट:मईडोक्यूमेंडस्थानकेवलअपलोडकरनेकीप्रक्रियाकोआसानबनानेकेलिएबोलीदाताओंकोदियागयाएकसंग्रहस्थानहै। यदिबोलीदातानेमईडोक्यूमेंडस्थानमेंअपनेदस्तावेज़अपलोडकिएहैं,

तोयहइनदस्तावेज़ोंकोतकनीकीबोलीकेहिस्सेकेरूपमेंस्वयंसुनिश्चितनहींकरसकताहै।

Note: My Documents space is only a repository given to the Bidders to ease the uploading process. If Bidder has uploaded his Documents in My Documents space, this does not automatically ensure these Documents being part of Technical Bid.

बोलीकीप्रस्तुतिSUBMISSION OF BIDS

 बोलीदाताकोबोलीजमाकरनेकेलिएपहलेसेसाइटपरलॉगइनकरनाचाहिएताकिवेबोलीसमयपरअपलोडकरस केंयानिबोलीप्रस्तुतिसमयपरयाउससेपहलेकरसकतेहैं।बोलीदाताअन्यविषयोंकेकारणकिसीभीदेरीकेलिएजिम्मे दारहोगा।

Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.

2 बोलीदाताकोडिजिटलीहस्ताक्षरकरनाहोगाऔरआवश्यकबोलीदस्तावेजोंकोएक-एककरकेअपलोडकरनाहोगाजैसाकिनिविदादस्तावेजमेंदर्शायागयाहै। The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.

- बोलीदाताकोयथालागूनिविदाशुल्क / ईएमडीकेभुगतानकेलिए" ऑफ़लाइन " भुगतानविकल्पकाचयनकरनाहैऔरलिखतकेविवरणदर्जकरनाहै।
 Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4 बोलीदाताकोनिविदादस्तावेजमेंनिर्दिष्टनिर्देशोंकेअनुसारईएमडीतैयारकरनाचाहिए।मूलप्रतिकोबोलीजमाकर नेकीअंतिमतिथितकयानिविदादस्तावेजोंमेंनिर्दिष्टअनुसार, डाक /कूरियरद्वारा / संबंधितअधिकारीकोव्यक्तिगतरूपसेदियाजानाचाहिए।भौतिकरूपसेभेजेगएडीडी/किसीभीअन्यस्वीकृतलिख तकाविवरण,

स्कैनकीगयीकॉपीमेंउपलब्धविवरणऔरबोलीजमाकरनेकेसमयदर्जकिएगएडेटाकेसाथमेलखानाचाहिए।अन्य थाअपलोडकीगईबोलीअस्वीकारकरदीजाएगी।

Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.

5 बोलीदाताओंसेयहनोटकरनेकाअनुरोधहैकिउनकोप्रदानकीगईप्रारूपमेंअपनीवित्तीयबोलियांअवश्यरूपसेप्रस्तु तकरनाचाहिएऔरकोईअन्यप्रारूपस्वीकार्यनहै।यदिनिविदाबोलीकेसाथमूल्यबोलीकोएकमानकबीओक्यू)BoQ)

तोवहीडाउनलोडकियाजानाहैऔरसभीबोलीदाताओंद्वाराभराजानाहै।बोलीदाताओंकोबीओक्यू) BoQ) फ़ाइलडाउनलोडकरना, उसेखोनाऔरअपनेसंबंधितवित्तीयभावऔरअन्यविवरणों) जैसेबोलीदाताकानाम (केसाथसफेदरंग) असुरक्षित (

स्थानोंकोपूराकरनेकीआवश्यकताहोतीहै।किसीभीअन्यस्थानोंमेंबदलावनहींकरनाचाहिए।एकबारविवरणपूरा होजानेकेबाद, बोलीदाताकोफ़ाइलसेवकरकेनामबदलेबिनाइसेऑनलाइनप्रस्तुतकरनाचाहिए।यदिबीओक्यू)BoQ)फ़ाइलकोबोलीदाताद्वारासंशोधितपायाजाताहै, तोबोलीअस्वीकारकरदीजाएगी।

Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

6 सर्वरसमय)

जिसेबोलीदाताओंकेडैशबोर्डपरप्रदर्शितकियाजाताहै (

कोबोलीदाताओंद्वाराबोलियांप्रस्तुतकरनेकेलिएसमयसीमाकोसंदर्भितकरने,बोलियांखोलनेआदिकेलिएमानक समयमानाजाएगा।बोलीप्रस्तुतिकेदौरानबोलीदाताओंकोइससमयकापालनकरनाचाहिए।

The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

- 7 डेटाकीगोपनीयतासुनिश्चितकरनेकेलिएबोलीदाताओंद्वाराप्रस्तुतकिएजारहेसभीदस्तावेजोंकोपीकेआईकूटलेख एन्क्रिप्शन (तकनीकोंकाउपयोगकरकेकूट) एन्क्रिप्ट (न) कियाजाएगा।दर्जकियागयाडेटाअनधिकृतव्यक्तियोंद्वाराबोलीखोलनेकेसमयतकनहींदेखाजासकताहै।बोलियों कीगोपनीयतासुरक्षितसॉकेटलेयर128बिटएन्क्रिप्शनप्रौद्योगिकीकाउपयोगकरकेबनाएरखीजातीहै।संवेदनशी लक्षेत्रोंकाडेटासंग्रहएन्क्रिप्शनकियाजाताहै।सर्वरपरअपलोडकिएगएकोईभीबोलीदस्तावेज़सिस्टमद्वाराजनित सममितकंजीकाउपयोगकरकेसममितएन्क्रिप्शनकेअधीनहै।इसकेअलावा,इसकुंजीकोक्रेताओं / बोलीखोलनेवालोंकीसार्वजनिककुंजीकाउपयोगकरकेअसममितएन्क्रिप्शनकेअधीनकियाजाताहै।कुलमिलाकर, अपलोडकिएगएनिविदादस्तावेजप्राधिकृतबोलीखोलनेवालोंद्वारानिविदाखोलनेकेबादहीपठनीयहोजातेहैं। All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8 अपलोडकिएगएटेंडरदस्तावेजअधिकृतबोलीसलामीबल्लेबाजोंद्वारानिविदाखोलनेकेबादहीपठनीयहोजातेहैं। The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 9 बोलियोंकेसफलऔरसमयपरप्रस्तुतीकरण) यानीपोर्टलमें" फ्रीजबिडसबमिशन "परक्लिककरनेकेबाद(, पोर्टलएकसफलबोलीप्रस्तुतकरनेकासंदेशदेगाऔरबोलीसंख्यातथाअन्यसभीप्रासंगिकविवरणोंकेसाथबोलीप्रस्तु तकरनेकीतिथिऔरसमयकेसाथएकबोलीसारांशप्रदर्शितकियाजाएगा। Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 10 बोलीसारांशकाप्रिंटकियाजानाहैऔरबोलीप्रस्तुतकरनेकीपावतीकेरूपमेंरखाजानाहै।इसपावतीकाउपयोगकि सीभीबोलीखुलावबैठकोंकेलिएप्रवेशपासकेरूपमेंकियाजासकताहै। The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

बोलीदाताओंकोसहायताASSISTANCE TO BIDDERS

- निविदादस्तावेजऔरउसमेंनिहितनियमोंऔरशर्तों सेसंबंधितकिसीभीप्रश्नकोनिविदाकेलिएनिविदाआमंत्रणप्रा धिकरणकोयानिविदामें उल्लेखितसंबंधितसंपर्कव्यक्तिको संबोधितकियाजानाचाहिए। Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. ऑनलाइनबोलीप्रस्तुतकरनेकीप्रक्रियासेसंबंधितकोईभीप्रश्नयासामान्यरूपसेसीपीपीपोर्टलसेसंबंधितप्रश्न24 x7 सीपीपीपोर्टलहेल्पडेस्ककोनिर्देशितकिएजासकतेहैं।

Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

Annexure- II

GENERAL INSTRUCTIONS TO BIDDERS FOR E BID SUBMISSION

Please submit your e-bids under the single bid system conforming to the specifications and the terms and conditions attached as per instructions given below:-

- 1. HOCL has entered into an Agreement with nic for e procurement through their portal <u>www.eprocure.gov.in</u>. Quotations shall be submitted online on or before the due date and time of closing the tender.
- 2. Techno commercial bid shall be opened electronically on specified date and time given in NIT. Bidders can witness the electronic opening of bid.
- 3. The bid shall contain as integral part of the same the following compliance statement: "We have read, understood and accepted the terms and conditions of purchase and related documents forming part of this enquiry and agree to supply the goods in compliance with the same."
- 4. Bidders should carefully study the documents of this enquiry. All terms and conditions set out there in the enquiry shall be binding on the bidders unless conflicting with any terms and conditions expressly stated by HOCL while accepting any bid, in the event of such acceptance.
- 5. HOCL reserves the right, without assigning any reason whatsoever, to accept or reject any or all bids in part or in full or cancel this enquiry.
- 6. HOCL reserves the right to extend without giving any reason(s) the closing date/time of the enquiry.
- 7. Bids shall be **valid for a minimum of 30 days** from the due date for receipt and opening of the bids.
- 8. Specification of the Product: Specifications of safety items offered shall be uploaded.
- 9. Purchase Preference to Central Public Sector Enterprises of Govt. Of India and MSMEs shall be as per Govt. of India policy in vogue.

.....

<u> Annexure - III</u>

SPECIFICATION OF SAFETY ITEMS

	Item Description DUST MASK SHOULD CONFORM TO IS 9473 AND ALSO CONFORM TO	Quantity	Unit of
	DUST MASK SHOULD CONFORM TO IS 0472 AND ALSO CONFORM TO		Measure
	DOST MASK SHOULD CONFORM TO IS 9473 AND ALSO CONFORM TO		
	RESPIRATOR CLASS FFP IS. MASK TO BE PROVIDED WITH SEWN ELASTIC		
	HEAD STRAP AND ADJUSTABLE NOSE SHOULD NOT HAVE NO METAL		
	EXPOSURE FOR BETTER LEAK PROOF FIT. CERTIFICATES REQUIRES ARE ISI/EN		
	MARK OR CERTIFICATION INCASE THE PRODUCT IS ISI/EN APPROVED. TEST		
	CERTIFICATE FROM NATIONAL/INTERNATIONALLY RECOGNIZED TESTING		
	BODY AND VENDOR/MANUFACTURE'S QUALITY CERTIFICATE	865	NOS
2	DUST/MIST RESPIRATOR SHALL BE CAPABLE OF GIVING PROTECTION		
	AGAINST RESPIRABLE PARTICULATE SUCH AS DUST, FIBRES, MIST AND		
	FUMES. IT SHALL BE OF CUP/SHELL DESIGN AND FITTED WITH AN		
	EXHALATION VALVE TO MAKE BREATHING EASIER. THE ELASTIC HEAD STRAP		
	OF THE MASK SHALL BE EITHER WELDED OR SEWN TYPE WITH PROPER FIT		
	ADJUSTMENT. THE NOSE CLIP SHOULD BE OF ALUMINIUM. THE MASK SHALL		
	BE OF LINT FREE SEAL OR HALF FOAM SEAL. THE PRODUCT SHOULD		
	CONFORM TO IS 9473 AND ALSO CONFORMS TO RESPIRATOR CLASS FFP3.		
	CERTIFICATES REQUIRED ARE ISI/EN MARK OR CERTIFICATION IN CASE THE		
	PRODUCT IS IS/EN APPROVED, TEST CERTIFICATE FROM		
	NATIONAL/INTERNATIONALLY RECOGNIZED TESTING BODY AND		
	VENDOR/MANUFACTURE'S QUALITY CERTIFICATE.	50	NOS
3	HALF FACE MASK CERTIFIED BY BIS TO IS14746, ISI MARK OR EN140 MADE		
	OF HIGH GRADE SOFT THERMOPLASTIC ELASTOMER IN A HARD SHELL FOR		
	PERFECT FIT. IT SHALL HAVE A NOSE BRIDGE FOR EFFECTIVE SEALING, ONE		
	WAY EXHALATION VALVE AND AESTHETICALLY DESIGNED CRADLE TYPE		
	HARNESS GUARANTEEING COMFORT AND EASY ADJUSTMENT DURING		
	DONNING; THE MASK SHALL HAVE STANDARD THREAD CONNECTION AS PER		
	IS14138[PART1]OR EN 148-1 SUITABLE FOR SCREW IN CARTRIDGE FILTER.		
	THE HALF MASK SHALL BE SUPPLIED WITH SUITABLE SCREW IN TYPE		
	MULTIGAS CARTIDGE FILTER CERTIFIED BY BIS TO IS15323 OR EN 14387		
	EN14387, CLASS 1, TYPE ABEK PROTECTION FOR 1000PPM GAS/VAPOUR; A		
	MINIMUM SHELF LIFE OF 5 YEARS SHALL BE PROVIDED	20	NOS
	EAR PLUG WITH CORD, POLY URETHENE FORM MADE OF SOFT		
	POLYURETHANE FOAM, WHICH PROVIDE COMFORTABLE AND CLOSE FITTING		
	SEAL AGAINST HARMFUL NOICE. THE EARPLUG SHALL BE OF CORDED TYPE		
	AND EACH PAIR SHALL BE PACKED IN A POLYBAG. THE EARPLUG SHALL		
	CONFORM TO CE EN 352-2 STANDARDS WITH APPROVAL/MARKING OR		
	CONFORMING TO IS 9167 AND ISI MARKED OR TESTED AS PER RELEVANT		
	ANSI STANDARD	65	NOS
	BLANKET NON ASBESTOS2X1MET[NON-ASBESTOS BLANKET FIBREGLASS		
	GRAPHITE COATED WITH EYELETS 2X1MET;40"WIDTH ,BLACK		
	COLOUR;WEAVE STYLE-SATIN / PLAIN; FABRIC WEIGHT2100GSM,FABRIC		
	THICK2.00MM[+/-02MM]ABRASION RESISTANCE -GOOD; TEMP; TOLERANCE;	30	NOS

EXCELLENT; SUNLIGHT & AGE RESISTANCE; EXCELLANT; ELECTRICAL PROPERTIES; HIGH DIELECTRIC CONSTANT APPLICATION; IT PROTECTS HUMAN LIVES AND PRECIOUS CAPITALGODOS OTHER YAUJABLE ITEMS FROMFIRE; [2] IDEAL FOR ITS USE IN THE AREA OF WELDING WORKS; [3] FIRE CURTAIN USEDTO PREVENT HEAT & HEAVY METAL; MOLTAN SPLASH INHOT REGION SUCH ASFURNACE, BOILER ETC; [4] FLEXIBLE/ MOVABLE CURTAIN MADE OUT OF THE ABOVE MATERIAL ARE ALSO AVAILABLE WHICH IS VERV IDEAL FOR ITS USE AT YHE TIME OF WELDING PROCESS; TESTED VERTICAL FLAMABILITY AS PER BIS 3119. 6 GOGGLES SAFETY SPECTACLE FYPE -SUIM PROFILE FOR IDEAL FIT FOR ALL FACE SHAPES.SPORTY STILE FOR FASHIONABLE FIT; TEMPLES-SOFT, PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION FREE VISION, OPTICAL CAPACITY OF CLASS 1, IMPACT PROPOVAL 115 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANCE FOR MAXIMUM COMFORT, ELASTIC STRAUP FOR ITITING, NUNQUE VENTILATION SYSTEM FOR AIR CIRCULATION; THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/COENTREL TON SUSCAT BAND, THEFACE SHIELD YINYL CHEMICAL RESISTANCE 8 FACCE SHED 9X9"TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT O		1300DEG; WEIGHTLOSS; 11.28 % AT 900DEG; CHEMICAL RESISTANCE;		
PROPERTIES; HIGH DIELECTRIC CONSTANT APPLICATION; IT PROTECTS HUMAN LIVES AND PRECIOUS CAPTALGGODS OTHER VALUABLE ITEMS FROMER; [2] DIEAL FOR ITS USE IN THE AREA OF WELDING WORKS; [3] FIRE CURTAIN USEDTO PREVENT HEAT & HEAVY METAL; MOLTAN SPLASH INHOT REGION SUCH ASFURNACE, BOILER ETC; [4] FLEXIBLE/ MOVABLE CURTAIN MADE OUT OF THE ARBOVE MATERIAL ARE ALSO AVAILABLE WHICH IS VERY IDEAL FOR TIS USE AT YHE TIME OF WELDING PROCESS; TESTED VERTICAL FLAMABILITY AS PER BIS 3119. 6 GOGGLES SAFETY SPECTACLE TYPE -SLIM PROFILE FOR IDEAL FIT FOR ALL FACE SHAPES,SPORTY STILE FOR FASHIONABLE FIT; TEMPLES-SOFT, PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION FREUESION, OPTICAL CAPACITY OF CLASS -J, IMPACT PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL 115 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RED TO EN 166/ANSI 287.1 APPROVAL 115 NOS 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARDONATE LENS 115 OUSTAMT TO HARE ROT MAXIMUM COMFORT,ELESS OTT CLEAR VINYL CHEMICAL TO ENTRIMAME FOR MAXIMUM COMF				
HUMAN LIVES AND PRECIOUS CAPITALGOODS OTHER VALUABLE ITEMS FROMFIRE; [2] IDEAL FOR ITS USE IN THE AREA OF WELDING WORKS; [3] FIRE CURTAIN USEDD OREVENT HAT HA HEAVY METAL; MOLTAN SPLASH INHOT REGION SUCH ASFURNACE, BOILER ETC; [4] FLEXIBLE/ MOVABLE CURTAIN MADE OUT OF THE ABOVE MATERIAL ARE ALSO AVAILABLE WHICH IS VERV IDEAL FOR ITS USE AT YHE TIME OF WELDING PROCESS; TESTED VERTICAL FLAMABILITY AS PER BIS 3119. G GOGGLES SAFETY SPECTACLE TYPE -SLIM PROFILE FOR IDEAL FIT FOR ALL FACE SHAPES.SPORTY STUE FOR FASHIONABLE FIT; TEMPLES-SOFT,PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION FREE VISION, OPTICAL CAPACITY OF CLASS - J.IMPACT PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL 115 NOS SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST,ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOTT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,ELASTIC STRAP FOR FITTING,UNIQUE VENTILATION SYSTEM FOR AIR CIRCULTION;THE GOGGLE SHALL BE CONFORMING TO 15-5933 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL 60 NOS 8 FACE SHEID WSY MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL 60				
FROMFIRE; [2] IDEAL FOR ITS USE IN THE AREA OF WELDING WORKS; [3] FIRE CURTAIN USEDTO PREVENT HEAT & HEAVY METAL; MOLTAN SPLASH INHOT REGION SUCH ASYERURACE, BOILER TC; [4] FLEXIBLE/ MOVABLE CURTAIN MADE OUT OF THE ABOVE MATERIAL ARE ALSO AVAILABLE WHICH IS VERI IDEAL FOR RADY METALL ARE ALSO AVAILABLE WHICH IS VERI IDEAL FOR TS USE AT YHE TIME OF WELDING PROCESS; TESTED VERITCAL FLAMABILITY AS PER BIS 3119. 6 GOGGLES SAFETY SPECTACLE TYPE -SLIM PROFILE FOR IDEAL FIT FOR ALL FACE SHAPES.SPORTY STILE FOR FASHIONABLE FIT; TEMPLES-SOFT,PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION FREE VISION, OPTICAL CAPACITY OF CLASS-1,IMPACT PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL 115 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,ELASTIC STRAP FOR FITTING, UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION;THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL 60 8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO ISSE32[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOV;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE 30 NOS 9 BOILER SUIT-LARGE SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AN THE LERS. THE ENTITRE L				
CURTAIN USEDTO PREVENT HEAT & HEAVY METAL; MOLTAN SPLASH INHOT REGION SUCH ASFURNACE, BOLLER ETC; [4] FLEXIBLE/ MOVABLE CURTAIN MADE OUT OF THE ABOLER ETC; [4] FLEXIBLE/ AVAILABLE WHICH IS VERY IDEAL FOR ITS USE AT YHE TIME OF WELDING PROCESS, TESTED VERTICAL FLAMABILITY AS PER BIS 3119. 6 GOGGES SAFETY SPECTACLE TYPE -SLIM PROFILE FOR IDEAL FIT FOR ALL FACE SHAPES.SPORTY STILE FOR FASHIONABLE FIT; TEMPLES-SOFT,PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION FREE VISION, OPTICAL CAPACITY OF CLASS-1, IMPACT PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,FLASTIC STRAP FOR FITTING, UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION;THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL 60 NOS 8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE FLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVE FLASTIC COMBINED MADE OUT OF THICK 300-CSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (INONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) NOS 9 BOILER SUIT-LARGE SIZE DAGONAL SHAPE PIECC OF CLOTH TO BE PROVIDED AT BOTTOM BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (INONE POCKET LO				
SPLASH INHOT REGION SUCH ASFURNACE, BOILER ETC; [4] FLEXIBLE/ MOVABLE CURTAIN MADE OUT OF THE ABOVE MATERIAL ARE ALSO AVAILABLE WHICH IS VERY IDEAL FOR ITS USE AT YHE TIME OF WELDING PROCESS; TESTED VERTICAL FLAMABILITY AS PER BIS 3119. 6 GOGGLES SAFETY SPECTACLE TYPE -SUM PROFILE FOR IDEAL FIT FOR ALL FACE SHAPES.SPORTY STILE FOR FASHIONABLE FIT; TEMPLES-SOFT, PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION FREE VISION, OPTICAL CAPACITY OF CLASS-1, IMPACT PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL 115 NOS 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINVL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT, ELASTIC STRAP FOR FITTING, UNIQUE VENTILATION SYSTEM FOR AIR 60 STRAP FOR FITTING, UNIQUE VENTILATION SYSTEM FOR AIR 60 NOS 8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EY SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND, THEFACE SHIELD SHIAL HAVE ELASTIC SYSTEM PROVAL OF SHALL HAVE FLASTIC WISINED MAADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (NO NE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) 30 NOS 9 BOILTER SUT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST P				
MOVABLE CURTAIN MADE OUT OF THE ABOVE MATERIAL ARE ALSO AVAILABLE WHICH IS VERY IDEAL FOR ITS USE AT YHE TIME OF WELDING PROCESS; TESTED VERTICAL FLAMABILITY AS PER BIS 3119.				
AVAILABLE WHICH IS VERY IDEAL FOR ITS USE AT YHE TIME OF WELDING PROCESS; TESTED VERTICAL FLAMABILITY AS PER BIS 3119. GOGGLES SAFETY SPECTACLE TYPE -SLIM PROFILE FOR IDEAL FIT FOR ALL FACE SHAPES.SPORTY STILE FOR FASHIONABLE FIT; TEMPLES-SOFT,PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION FREE VISION,OPTICAL CAPACITY OF CLASS-1,IMPACT PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL 115 NOS 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST,ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,ELASTIC STRAP FOR HTTING,UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION;THE GOGGLE SHALL BALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI Z87.1 APPROVAL 60 NOS 8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE 30 NOS 9 BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH 2IP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKET SON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIFLE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOUDER 120 NOS 10				
PROCESS; TESTED VERTICAL FLAMABILITY AS PER BIS 3119. GOGGLES SAFETY SPECTACLE TYPE -SUIM PROFILE FOR IDEAL FIT FOR ALL FACE SHAPES.SPORTY STILE FOR FASHIONABLE FIT; TEMPLES-SOFT, PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION FREE VISION, OPTICAL CAPACITY OF CLASS-1, IMPACT PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST, ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT, ELASTIC STRAP FOR FITTING, UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION; THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL SHALL BY YYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND, THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PARTI]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVE THE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKET ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL TWO SIDE POCKET ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL MOR FLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKET ON ONANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER ARE				
6 GOGGLES SAFETY SPECTACLE TYPE -SLIM PROFILE FOR IDEAL FIT FOR ALL FACE SHAPES.SPORTY STILE FOR FASHIONABLE FIT, TEMPLES-SOFT,PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION REE VISION, OPTICAL CAPACITY OF CLASS-1,IMPACT PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL 115 NOS 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINVL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,ELASTIC STRAP FOR HITING,UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION;THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI Z87.1 APPROVAL 60 NOS 8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLL VISOR, IT SHALL HAVE FLASTIC FUE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PARTI]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE 30 NOS 9 BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF COTH TO BE PROVIDED AN THOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER 120 NOS 10 GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER A, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GR		AVAILABLE WHICH IS VERY IDEAL FOR ITS USE AT YHE TIME OF WELDING		
FACE SHAPES.SPORTY STILE FOR FASHIONABLE FIT; TEMPLES-SOFT, PADDED INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS DISTORTION FREE VISION, OPTICAL CAPACITY OF CLASS-1, IMPACT PROTECTION ASM/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL 115 NOS 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS 115 NOS 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS 115 NOS 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS 115 NOS 7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS 115 NOS 8 FACE SHEID SYM TYPE 1 CLEAR POLY CARBONATE LENS SOFT CLEAR 116 NOS 8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF 60 NOS 8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF 4CRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE 116 8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF THICK 300 10 NOS 9 BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300 10 NOS 9 BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 30 <td< td=""><td></td><td>PROCESS; TESTED VERTICAL FLAMABILITY AS PER BIS 3119.</td><td></td><td></td></td<>		PROCESS; TESTED VERTICAL FLAMABILITY AS PER BIS 3119.		
INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS Instruct and the second secon	6	GOGGLES SAFETY SPECTACLE TYPE -SLIM PROFILE FOR IDEAL FIT FOR ALL		
DISTORTION FREE VISION ,OPTICAL CAPACITY OF CLASS-1,IMPACT Interpret in the interpret inte		FACE SHAPES.SPORTY STILE FOR FASHIONABLE FIT; TEMPLES-SOFT, PADDED		
PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1 APPROVAL115NOS7SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,ELASTIC STRAP FOR FITTING, UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION;THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL60NOS8FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PARTI]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE30NOS9BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-CSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET IN ONE POCKET SON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIHE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKAUI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRAS		INSERT AND MOULDED UNIVERSAL NOSE BRIDGE POLYCARBONATE LENS		
APPROVAL115NOS7SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,ELASTIC STRAP FOR FITTING,UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION;THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL60NOS8FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE30NOS9BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET SON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INT		DISTORTION FREE VISION ,OPTICAL CAPACITY OF CLASS-1,IMPACT		
APPROVAL115NOS7SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,ELASTIC STRAP FOR FITTING,UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION;THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL60NOS8FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE30NOS9BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET SON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INT		PROTECTION 45M/SEC.THE SPECTACLE SHALL HAVE EN 166/ANSI Z 87.1		
7 SAFETY GOGGLES FOR PROTECTION AGAINST CHEMICAL SPLASH AS WELL AS DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,ELASTIC STRAP FOR FITTING,UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION;THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL 60 NOS 8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE 30 NOS 9 BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER 120 NOS 10 GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121] 130 PAA 11 GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL			115	NOS
DUST;ANTIFOG HARD COATED CLEAR POLY CARBONATE LENS SOFT CLEAR VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT,ELASTIC STRAP FOR FITTING,UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION;THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL60NOS8FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVE THE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE30NOS9BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT / ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT / ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS [EN-374 EN-388[4121]130 <td>7</td> <td></td> <td></td> <td></td>	7			
VINYL CHEMICAL RESISTANT FRAME FOR MAXIMUM COMFORT, ELASTIC STRAP FOR FITTING, UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION; THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL60NOS8FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND, THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO ISS521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE30NOS9BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET SON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HA	-			
STRAP FOR FITTING, UNIQUE VENTILATION SYSTEM FOR AIR CIRCULATION; THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL608FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND, THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT; OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE309BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTING LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID, ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA				
CIRCULATION;THE GOGGLE SHALL BE CONFORMING TO IS-5983 AND IS MARKED/CE MARKED TO EN 166/ANSI 287.1 APPROVAL608FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND, THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO ISS521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE309BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET SON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA				
MARKED/CE MARKED TO EN 166/ANSI Z87.1 APPROVAL60NOS8FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE30NOS9BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE AP				
8 FACE SHEID 9X9" TYPE 1 [WITHOUT CROWN PROTECTOR] MADE OUT OF ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE 30 NOS 9 BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEe' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER 120 NOS 10 GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121] 130 PAA 11 GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL 55 PAA			60	NOS
ACRYLIC VISOR, IT SHALL HAVE PLASTIC EYE SHIELD WITH AN ADJUSTABLE HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND, THEACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE309BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER12010GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL13011GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL5511GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55	0		00	1103
HEAD BAND OF POSITIVE LOCKINGTYPEAND SWEAT BAND,THEFACE SHIELD SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE309BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA	0			
SHALL BE ISIN MARKED CONFORMING TO IS8521[PART1]OR SHALL HAVE EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE309BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA				
EN/ANSI APPROVAL OR SHALL HAVETHE APPROVALOF ANY GOVT;OR STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE309BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA				
STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE30NOS9BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA				
9BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK 300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS; IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS; IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL130PAA				
300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED) WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL50PAA		STATUTARY AUTHORITY AS PER THE TEST PERFORMANCE	30	NOS
CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED)IIIWITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTSIIIIAN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BEPROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPSTO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST ANDIIIIISHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROMIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	9	BOILER SUIT-LARGE SIZE [PANTS & SHIRT COMBINED MADE OUT OF THICK		
WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA		300-GSM COTTON BLUE DRILL/ SKY BLUE OVERALL TYPE WITH ZIP. TWO		
AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER, ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA		CHEST POCKET (IN ONE POCKET LOGO 'HOC EMPLOYEE' TO BE PRINTED)		
PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA		WITH FLAP, TWO SIDE POCKETS ON PANTS, TWO BACK POCKETS ON PANTS		
TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA		AN ADDITIONAL ONE FEET SIZE DIAGONAL SHAPE PIECE OF CLOTH TO BE		
TO BE PROVIDED ON THE LEGS. THE ENTIRE LENTTH OF LEG WAIST AND SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA		PROVIDED AT BOTTOM FOR REINFORCEMENT, AN ADDITIONAL TWO FLAPS		
LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA				
LEG TO SHOULDER120NOS10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA		SHOULDER AREA HAVE DOUBLE STICHING. LARGE SIZE ABOUT 5'-7" FROM		
10GLOVES RUBBER 12" MADE OUT OF SUPERIOR QUALITY RUBBER , ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA			120	NOS
ACID/ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA	10			
ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT. IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA				
SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA				
STANDARDS. [EN-374 EN-388[4121]130PAA11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA				
11GLOVES RUBBER 16" MADE OUT OF SUPERIOR QUALITY RUBBER ACID,ALKALI RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA			130	ΡΔΔ
RESISTANT WHICH IS HAVING GOOD GRIP IN WET AND OILY ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .IT SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA	11		130	
ENVIRONMENTS;IT SHALL BE LIGHT WEIGHT, CUT/ ABRASION RESISTANT .ITSHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL55PAA	11			
SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL 55 PAA				
Page 10 of 19		SHALL HAVE THE APPROVAL/MARKING OF INDIAN/INTERNATIONAL		

	STANDARDS.[EN374 EN388[4121]		
12	STANDARDS.[EN374 EN388[4121] GLOVES NON ASBESTOS 14" HEAT RESISTANT HAND GLOVES, MADE OF NON ASBESTOS MATERIAL HAVING BACK NON-WOVEN FELT INSULATION TO PROTECT BACK OF HAND AGAINST RADIANT HEAT. IT SHALL GIVCE A FULL LENGTH HEAT BARRIER TO PROTECT THE HAND, IT SHALL GIVE BETTER FINGER COMFORT, DEXTERITYAND SHALL GIVE PROTECTION AGAINST SNAGS ,PUNCTURES, ABRASION AND CUTS AND SHALL HAVE DRY GRIP . IT SHALL BE CAPABLE OF GIVING A HEAT PROTECTION OF MINIMUM 250 DEG. GLOVES SHALL BE CE APPROVED, CONFORMING TO EN407 OR TO ANY RELEVANT /INTERNATIONAL STANDARDS AND MARKING. THE GLOVES SHALL BE OF LENGTH 14"	5	ΡΑΑ
13	GLOVES LEATHER 390-400MM FOR WELDERS;MANUFACTURED FROM COWHIDE OR BUFFALO CHROME TANNED/CHROME RE-TANNED SPLIT LEATHER.NON IRRITANT TOSKIN AND SHOULD HAVE REINFORCED PALM FOR BETTER GRIPPING.,INSIDE LINING TO BE PROVIDED WITH HIGH QUALITY COTTON/DENIM TO ARREST DIRECT CONTACT OF THE SKIN WITH LEATHER AND STICHING USING KEVLAR THREAD.GAUNTLET CUFF STYLE [APPROVALS;ISI CERTIFIED AS PER IS2573-1986, TYPE1 & ISI STAMPING ON EACH GAUNTLET OR CERTIFIED AS PER EN420;2003, EN388;2016,EN407;2007&EN124772001. MANUFACTURE NAME AND MANUFACTURING DATE TO BE PRINTED;	25	ΡΑΑ
14	GLOVES 14" HAND GLOVES MADE OF PVC MATERIAL HAVING INNER LAYER OF COTTON FOR COMFORT,SUITABLE FOR ACID/ALKALI,PROVIDE PROTECTION AGAINST DANGEROUS CHEMICALS AND MICRO-ORGANISMS AS PER EN374,SHOULD BE RATED FOR ABRASION,CUT,TEAR AND PUNCTURE RESISTANCE AS PER EN388 STANDARD AND THE PRODUCT SHOULD CONFIR M TO IS 8807.		
		180	ΡΑΑ
15	GUMBOOTS : SIZE 5"; CERTIFIED TO IS12254;2021//DIRECT INJECTION PVC GUMBOOTS WITH DOUBLE DENSITY SOLE//STEEL TOE CAP WITH 100JOULES IMPACT RESISTANCE//BREATHABLE TEXTILE LINING//BLACK COLOUR//SOLE SHOULD BE ANTI-SKID, OIL, CHEMICAL ANDFUEL RESISTANT// HEEL HEIGHT; 34MM[MINIMUM] BOOT HEIGHT 14"	6	ΡΑΑ
16	GUMBOOTS : SIZE 8"; CERTIFIED TO IS12254;2021//DIRECT INJECTION PVC GUMBOOTS WITH DOUBLE DENSITY SOLE//STEEL TOE CAP WITH 100JOULES IMPACT RESISTANCE//BREATHABLE TEXTILE LINING//BLACK COLOUR//SOLE SHOULD BE ANTI-SKID, OIL, CHEMICAL ANDFUEL RESISTANT// HEEL HEIGHT; 34MM[MINIMUM] BOOT HEIGHT 14"	14	ΡΑΑ
17	GUMBOOTS : SIZE 9"; CERTIFIED TO IS12254;2021//DIRECT INJECTION PVC GUMBOOTS WITH DOUBLE DENSITY SOLE//STEEL TOE CAP WITH 100JOULES IMPACT RESISTANCE//BREATHABLE TEXTILE LINING//BLACK COLOUR//SOLE SHOULD BE ANTI-SKID, OIL, CHEMICAL ANDFUEL RESISTANT// HEEL HEIGHT;	17	
	34MM[MINIMUM] BOOT HEIGHT 14"	16	PAA
18	GUMBOOTS : SIZE 12"; CERTIFIED TO IS12254;2021//DIRECT INJECTION PVC GUMBOOTS WITH DOUBLE DENSITY SOLE//STEEL TOE CAP WITH 100JOULES	8	ΡΑΑ

	IMPACT RESISTANCE//BREATHABLE TEXTILE LINING//BLACK COLOUR//SOLE SHOULD BE ANTI-SKID, OIL, CHEMICAL ANDFUEL RESISTANT// HEEL HEIGHT; 34MM[MINIMUM] BOOT HEIGHT 14"		
19	GLOVES COTTON 14"		
	200GSM COTTON CLOTH WITH DOUBLE STICHING	300	PAA

NOTE:

- 1. Party has to submit the detailed product catalogue of offered Make & Model of each items and also necessary test certificates along with technical bid.
- 2. Warranty certificates wherever applicable has to be forwarded along with supply.
- 3. A sample shall be submitted along with offer for our evaluation, if required .

Annexure-IV

GENERAL CONDITIONS OF TENDER FOR THE PROCUREMENT OF SAFETY ITEMS

1. QUALITY:

- Party has to submit the detailed product catalogue of offered Make & Model of each items and also necessary test certificates along with technical bid.
- Warranty certificates wherever applicable has to be forwarded along with supply.
- A sample shall be submitted along with offer for our evaluation, if required .

2. <u>QUANTITY</u>: As per BOQ

3. PRICES

- i) <u>FIRM PRICES:-</u>Unless otherwise specified in the order, the order prices shall remain FIRM and will not be subject to escalation of any description during pendency of the order, not withstanding any change in the cost of materials or of labour or any other cost element which may take place while this order is being carried out.
- ii) **TAXES AND DUTIES**:- All taxes and duties shall be shown in the tender separately, in the respective columns provided in the BOQ. Any other charges applicable may please be specified in the unpriced bid format. Purchaser's GSTIN is 32AAACH2663P1ZG.
- iii) **PRICE**: The price quoted shall be for delivery at our factory at Ambalamugal, Ernakulam District, Kerala state, inclusive of freight and all other incidental expenses.
- 4. <u>PAYMENT TERMS:-</u>Payment will be released to you within **30 days** of receipt & acceptance of materials at site.
- 5. <u>DELIVERY PERIOD</u>:- As the requirement is for the upcoming Shutdown, the party has to be quoted for ready stock basis only. Otherwise the offer will be rejected.
- 6. <u>VALIDITY OF OFFER</u>: The offer given should valid for a period of **30 days** from the due date of the tender.
- 7. EMD/ SECURITY DEPOSIT: NIL
- 8. <u>RIGHT TO PROCURE FROM ALTERNATIVE SOURCE</u>:-In the event of non-supply by the vendor on whom purchase order is placed, HOCL reserves the right to procure the item of same quality from an alternative source at the cost and risk of the Vendor.
- **9.** <u>**RIGHT TO REJECT A BID**</u>: HOCL reserves the right to reject any bid due to reasons such as (a) Vendor not following above bidding procedures (b) Vendor not being technically acceptable to

HOCL (c) Vendor not agreeing with the general conditions of the tender. (d) Not enclosing any particular documents asked for (e) Any other valid reason.

Also company reserves the right to reject any or all offers without assigning any reason and opinion/decision of the company in the matter shall be final and conclusive.

- **10.** <u>SIGNING AND SEALING ON ALL PAGES OF BID:-</u> The vendor shall sign and seal on all the pages of the bids submitted failing which bids are liable to be rejected.
- 11. <u>PURCHASE/PRICE PREFERENCE</u>: Purchase/Price Preference or any other concessions applicable for SSI Units /PSUs will be as per latest Government of India Directives. For availing this benefit, the bidder should make their claim in the Bids itself and enclose necessary documentary evidence to prove their eligibility.
- 12. <u>LIQUIDATED DAMAGES</u>: In the event of the supplier's failure to deliver the goods by the dates specified in the contract, the purchaser may without prejudice to his any other rights hereunder, recover from the supplier liquidated damages @ 0.5 percent per week of delay of the contract price of the undelivered goods, subject to a maximum of 5 %.

13. <u>RESTRICTION ON PROCUREMENT FROM BIDDER WHO SHARES THE LAND BORDER WITH</u> INDIA

- a) Any bidder from a country which shares a land border with India will be eligible to bid, only if the bidder is registered with the Department for promotion of Industry and Internal Trade (DPIIT). (Pl. refer office Memorandum no. 6/18/2019-PPD dated 23rd July 2020)Such bidders should submit the valid copy of registration certificate along with tender. However the said requirement of registration will not be applicable to bidders from those country to which Govt. of India has extended lines of credit or in which Govt. of India is engaged in development of projects. Bidders may appraise themselves of the updated lists of such countries available in the website of Ministry of External Affairs.
- b) All Bidders shall furnish compliance certificate with respect to above clause as per the format in Annexure-VII along with the bid.
- 14. **DISPUTES:-** In the event of a contract being executed, all cases of disputes between seller and buyer shall be settled amicably between the parties through mutual discussion and failing that, such disputes, difference, questions or claims shall be settled though arbitration as per Indian arbitration and Conciliation act 1996 or any amendments from time to time. The seat of the Arbitration shall be at Kochi and decision of the arbitration shall be final and binding on both the parties.
- 15. JURISDICTION:- All questions, disputes or differences arising under or in connection with this contract shall be subject to the exclusive jurisdiction of the courts in Ernakulam, Kerala, India only.

Annexure V-A

	COMMERCIAL TERM FORMAT							
	(Please fill up the details mentioned below in your letter head and upload along with your bid							
FOR OFFE	FOR OFFERS THROUGH NIC CPP PORTAL, VENDORS CAN OFFER THEIR BASIC RATE, FREIGHT CHARGES AND GST IN THE BOQ ITSELF							
SI.No	DETAILS R	EQUIRED						
1	Name and Address of Organization							
2	Phone No							
3	GSTIN							
4	E-mail id for correspondence							
5	Contact Person Name and Mobile No							
6	Whether registered with MSME/NSIC (If so pl. enclose documentary proof):							
7	Certificates provided along with supply, if any							
8	Payment Term offered (For NIC CPP offers)							
9	Terms of delivery offered (For NIC CPP offers)							
10	Validity of offer							
11	Delivery period on ready stock basis	®Yes [®] No						
12	Deviation in specification/ terms and conditions if any							
	Signature and Stamp							

Annexure V-B

(KINDLY FILL THIS SHEET AND SUBMIT IN -COMMERCIAL/TECHNICAL BID)

Name	e of Bidder:		
Sr. No.	Commercial Clauses		Bidder Confirmation (Please put ∨ in front of your confirmation)
1	Whether bidder (a proprietary concern, Partnership Firm, Company)		Yes, We are on holiday
	is currently on holiday list/black list/de-listed or has been put on holiday/blacklisted/de-listed at any PSU/govt. Organization. If so, give details.		List/Black List/De-List No
2i	Whether the party is registered under Micro/Small/Medium Enterprises act 2006 (Please furnish the proof)		Micro□ Medium Small□ No
2-ii	Status of MSE Bidder		Manufacturer Services Not Applicable
2-iii	Whether MSE bidder is offering product manufactured by him/her		Yes No
3i	All MSE bidders shall register / declare their UAM Number on CPP Portal and copy of this registration / declaration shall be attached with the offer; failing which such bidders will not be able to enjoy benefits as per PP Policy for MSME order, 2012. <u>SSI/MSME/NSIC/UAM /DIC registration certificate</u>		Mention UAM Number Not Applicable
3-ii	Submitted valid document against clause no 3i		Submitted Not Applicable
4i	Whether the proprietor of "MSME" enterprise is from SC/ST category (Please attach caste certificate issued by competent authority)		Yes No
4ii	Whether the proprietor of "MSME" enterprise is woman		Yes
	(i.e. Woman proprietorship, or holding minimum 51% shares in case of Partnership/Private Limited Companies)		No
4iil	Submitted certificate against clause no 4ii		Submitted Not Applicable
5	AGREED TO ALL TERMS AND CONDITIONS OF ENQUIRY: It is hereby stated that the quotation/offer submitted is in fullcompliance with the documents issued against the enquiry and also furtherconfirmed that there is no deviation from all the terms and conditions as pertheenquiry.Non-acceptanceor deviation to HOCL's standard terms and conditions mentioned in enquiry documents may lead to rejection of offer, no correspondence shall be done for clarifications		Agreed
DATE	SIGN AND STAMP OF BIDDER	·	

Annexure V-C

COMMERCIAL TERM FORMAT

(For Purchase Order/ Work Order with estimated value more than FIVE Lakhs)

ANNEXURE TO BE SUBMITTED ALONG WITH THE BID AGAINST TENDER NO

(KINDLY FILL AND SUBMIT ALONG WITH COMMERCIAL/TECHNICAL BID)

NAME OF BIDDER:

Sr.No.	COMMERCIAL CLAUSES	BIDDER CONFIRMATION (PLEASE PUT \checkmark)
1	Please mention whether you are a Class-I/Class II Local supplier.(Please see the definition given below)	Class I
-		Class II
2	Specify the percentage (%) of local content.	%
3	Details of location at which the local value addition is	
	made.	
	Mention whether the product offered is manufactured	
	in India under a license from a foreign manufacturer	
4	who hold intellectual property rights and there is a	Yes / No
	technology collaboration agreement / Transfer of	
	technology agreement	

SELF DECLARATION OF LOCAL CONTENT

We hereby declare that the percentage(%) of local content specified against mentioned against Sr.No.2 is _____%. We also understand that submitting False self-declarations and auditors will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a Bidder or its successors can be debarred for up to Two Years as per the Rule 151 (iii) of the General. Financial Rules along with such other actions as may be permissible under Law.

Definitions

Local Content: - The amount of value added in India(Total value of item procured minus the value of imported content in the item(including all customs duties) as a proportion of total value, in percentage.

Class I Local Supplier: - Supplier or service provider whose goods, services or works offered for procurement has local content equal to or more than 50%.

Class II Local Supplier: - Supplier or service provider whose goods, services or works offered for procurement has local content more than 20% but less than 50 %.

Purchase Preference: -Will be as per the applicable Government order.

DATE

SIGNATURE AND STAMP

Annexure-VI

BID SECURITY DECLARATION

ANNEXURE TO BE SUBMITTED ALONG WITH THE BID AGAINST TENDER NO______

I/We.....hereby declare that:

- **1.** I will not revoke the tender within the stipulated period/ validity period OR increase the quoted rates.
- **2.** I will commence the work on receipt of Purchase Order.
- **3.** I will not withdraw or amend the tender or impair or derogate from the tender in any respect within the period of validity of the tender.
- **4.** I will furnish the required performance security within the specified period.

NAME AND ADDRESS OF THE BIDDER

PLACE:

DATE:

SIGNATURE AND STAMP OF THE BIDDER

Annexure-VII

COMPLIANCE TO CLAUSE W.R.T MANADATORY REGISTRATION OF VENDORS FROM COUNTRIES SHARING LAND BORDER WITH INDIA, WITH DPIIT

Date:

TO WHOMSOEVER IT MAY CONCERNS

"I have read The clause titled restrictions on procurement from a bidder of a country which shares a land border with India.

I certify that M/s.....(Name Bidder) is not from such a country

Or .

I hereby certify that M/s.(name of Bidder) is from a country which shares land boarder with India and fulfills all requirements in this regard and is eligible to be considered. Enclosed herewith Valid Registration Certificate

Or I hereby certify that M/s..... (Name of Bidder) is from such a country which shares land border with India , however the said requirement of registration will not be applicable to bidders as Govt. of India has extended lines of credit or in which Govt. of India is engaged in development of projects. Enclosed herewith documentary evidence in this regards

We confirm that if it is established that we have provided any false information in pursuance to above clause, while competing for this contract then our Bid shall be rejected.

We further confirms that, if it is established that we have not complied with terms of aforesaid clause, during execution of contract, this would be a sufficient ground for immediate termination of the contract as per tender provision and shall be dealt accordingly

Name of the Bidder

Stamp & Signature of the Bidder